

Grade 5

PPS/CCSS alignment resource:

A comprehensive support resource that aligns the Common Core State Standards for Math and the Mathematical Practices to grade level core Curriculum and assessments.

Operations and Algebraic Thinking (OA)

Write and interpret numerical expressions


Standards <i>Students are expected to:</i>	Mathematical Practices	Explanations and Examples	Bridges Lessons	Bridges Assessments
<p>5.OA.1. Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can write and interpret numerical expressions. I can use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols. <p>REPORT CARD LANGUAGE <i>Writes, evaluates, and interprets numerical expressions</i></p>	<p>MP.1. Make sense of problems and persevere in solving them.</p> <p>MP.5. Use appropriate tools strategically.</p> <p>MP.8. Look for and express regularity in repeated reasoning</p>	<p>This standard builds on the expectations of third grade where students are expected to start learning the conventional order. Students need experiences with multiple expressions that use grouping symbols throughout the year to develop understanding of when and how to use parentheses, brackets, and braces. First, students use these symbols with whole numbers. Then the symbols can be used as students add, subtract, multiply and divide decimals and fractions.</p> <p>Examples:</p> <ul style="list-style-type: none"> $(26 + 18) \div 4$ Answer: 11 $\{[2 \times (3+5)] - 9\} + [5 \times (23-18)]$ Answer: 32 $12 - (0.4 \times 2)$ Answer: 11.2 $(2 + 3) \times (1.5 - 0.5)$ Answer: 5 $6 - \left(\frac{1}{2} + \frac{1}{3}\right)$ Answer: $5 \frac{1}{6}$ $\{80 [2 \times (3 \frac{1}{2} + 1 \frac{1}{2})]\} + 100$ Answer: 108 <p>To further develop students' understanding of grouping symbols and facility with operations, students place grouping symbols in equations to make the equations true or they compare expressions that are grouped differently.</p> <p>Examples:</p> <ul style="list-style-type: none"> $15 - 7 - 2 = 10 \rightarrow 15 - (7 - 2) = 10$ $3 \times 125 \div 25 + 7 = 22 \rightarrow [3 \times (125 \div 25)] + 7 = 22$ $24 \div 12 \div 6 \div 2 = 2 \times 9 + 3 \div \frac{1}{2} \rightarrow$ $24 \div [(12 \div 6) \div 2] = (2 \times 9) + (3 \div \frac{1}{2})$ Compare $3 \times 2 + 5$ and $3 \times (2 + 5)$ Compare $15 - 6 + 7$ and $15 - (6 + 7)$ 	<p>Unit 1, Sessions 13, 14 Unit 1, pp 107–109 (WP 1B) Unit 2, Sessions 2, 3, 5–9, 11, 13 Unit 4, Session 3 Unit 7, Sessions 1 & 2 Unit 7, p 972 (Challenge)</p> <p>Bridges Practice Book, pp. 11, 12, 122, 124</p> <p>Home Connections: 6, 7, 13, 14, 17, 18, 33, 41, 42, 47, 48, 59, 60, 61</p> <p>Number Corner Sept. Comp. Fluency</p>	<p>Informal Bridges Practice Book, pp. 121,</p> <p>Formal Bridges, Vol. 1, pp 32–39, 138–144 (Unit 1 Pre & Post Assessments) Bridges, Vol. 4, pp 942–947, 1020–1024 (Unit 7 Pre & Post Assessments)</p>
<p>5.OA.2. Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. <i>For example, express the calculation “add 8 and 7, then multiply by 2” as $2 \times (8 + 7)$. Recognize that $3 \times (18932 + 921)$ is three times as large as $18932 + 921$, without having to calculate the indicated sum or product.</i></p>	<p>MP.1. Make sense of problems and persevere in solving them.</p> <p>MP.2. Reason abstractly and quantitatively.</p> <p>MP.7. Look for and make use of structure.</p> <p>MP.8. Look for and express regularity in repeated reasoning</p>	<p>Students use their understanding of operations and grouping symbols to write expressions and interpret the meaning of a numerical expression.</p> <p>Examples:</p> <ul style="list-style-type: none"> Students write an expression for calculations given in words such as “divide 144 by 12, and then subtract $\frac{7}{8}$.” They write $(144 \div 12) - \frac{7}{8}$. <p>Students recognize that $0.5 \times (300 \div 15)$ is $\frac{1}{2}$ of $(300 \div 15)$ without calculating the quotient.</p>	<p>Unit 7, Sessions 4, 5, 7, 9, 11–13</p> <p>Bridges Practice Book, pp. 31, 125</p> <p>Home Connections: 52, 61, 62, 63, 64</p>	<p>Informal Supp. B1 Ind. Worksheet 1, 2 Bridges Practice Book pp. 126, 128</p> <p>Formal Bridges, Vol. 4, pp. 942–947, 1020–1024 (Unit 7 Pre & Post Assessments)</p>

<p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. <p>REPORT CARD LANGUAGE Writes, evaluates, and interprets numerical expressions</p>				
--	--	--	--	--




Operations and Algebraic Thinking (OA) Analyze patterns and relationships				
<p>5.OA.3. Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. <i>For example, given the rule “Add 3” and the starting number 0, and given the rule “Add 6” and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.</i></p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can generate two numerical patterns using given rules. • I can identify apparent relationships between corresponding terms. * I can form ordered pairs consisting of corresponding terms from the two patterns, and graphs the ordered pairs on a coordinate plane 	<p>MP.2. Reason abstractly and quantitatively.</p> <p>MP.7. Look for and make use of structure.</p>	<p>Example:</p> <p>Use the rule “add 3” to write a sequence of numbers. Starting with a 0, students write 0, 3, 6, 9, 12, . . .</p> <p>Use the rule “add 6” to write a sequence of numbers. Starting with 0, students write 0, 6, 12, 18, 24, . . .</p> <p>After comparing these two sequences, the students notice that each term in the second sequence is twice the corresponding terms of the first sequence. One way they justify this is by describing the patterns of the terms. Their justification may include some mathematical notation (See example below). A student may explain that both sequences start with zero and to generate each term of the second sequence he/she added 6, which is twice as much as was added to produce the terms in the first sequence. Students may also use the distributive property to describe the relationship between the two numerical patterns by reasoning that $6 + 6 + 6 = 2(3 + 3 + 3)$.</p> $0, \quad +^3 3, \quad +^3 6, \quad +^3 9, \quad +^3 12, \dots$ $0, \quad +^6 6, \quad +^6 12, \quad +^6 18, \quad +^6 24, \dots$ <p>Once students can describe that the second sequence of numbers is twice the corresponding terms of the first sequence, the terms can be written in ordered pairs and then graphed on a coordinate grid. They should recognize that each point on the graph represents two quantities in which the second quantity is twice the first quantity.</p>	<p>Unit 1, Sessions 5, 6, 16–18 Unit 7, Sessions 4–7, & 9</p> <p>Bridges Practice Book, pp. 6, 7, 8</p> <p>Home Connections: 2, 8, 61, 62, 63, 64</p>	<p>Informal Bridges Practice Book, pp. 33</p> <p>Formal Bridges, Vol. 1, pp 32–39, 138–44 (Unit 1 Pre- and Post-Assessments)</p> <p>Bridges, Vol. 4, pp. 942–948, 1020–1024</p> <p>(Unit 7 Pre- and Post-Assessments)</p>

• I can explain informally relationships between corresponding terms in the patterns.


REPORT CARD LANGUAGE
Analyzes numerical patterns and relationships



Number and Operations in Base Ten (NBT) Understanding the place value system



Standards	Math Practices	Explanations and Examples	Bridges Lessons	Bridges Assessments
<p><i>Students are expected to:</i></p> <p>5.NBT.1. Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can explain that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. <p>REPORT CARD LANGUAGE <i>Explains place value patterns and can use whole number exponents to express powers of 10</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>In fourth grade, students examined the relationships of the digits in numbers for whole numbers only. This standard extends this understanding to the relationship of decimal fractions. Students use base ten blocks, pictures of base ten blocks, and interactive images of base ten blocks to manipulate and investigate the place value relationships. They use their understanding of unit fractions to compare decimal places and fractional language to describe those comparisons.</p> <p>Before considering the relationship of decimal fractions, students express their understanding that in multi-digit whole numbers, a digit in one place represents 10 times what it represents in the place to its right and 1/10 of what it represents in the place to its left.</p> <p>A student thinks, "I know that in the number 5555, the 5 in the tens place (5555) represents 50 and the 5 in the hundreds place (5555) represents 500. So a 5 in the hundreds place is ten times as much as a 5 in the tens place or a 5 in the tens place is 1/10 of the value of a 5 in the hundreds place.</p> <p>To extend this understanding of place value to their work with decimals, students use a model of one unit; they cut it into 10 equal pieces, shade in, or describe 1/10 of that model using fractional language ("This is 1 out of 10 equal parts. So it is 1/10". I can write this using 1/10 or 0.1"). They repeat the process by finding 1/10 of a 1/10 (e.g., dividing 1/10 into 10 equal parts to arrive at 1/100 or 0.01) and can explain their reasoning, "0.01 is 1/10 of 1/10 thus is 1/100 of the whole unit."</p> <p>In the number 55.55, each digit is 5, but the value of the digits is different because of the placement.</p> <p>In the number 55.55, each digit is 5, but the value of the digits is different because of the placement.</p> <div style="text-align: center;">  <p>The 5 that the arrow points to is 1/10 of the 5 to the left and 10 times the 5 to the right. The 5 in the ones place is 1/10 of 50 and 10 times five tenths.</p>  <p>The 5 that the arrow points to is 1/10 of the 5 to the left and 10 times the 5 to the right. The 5 in the tenths place is 10 times five hundredths.</p> </div> <div style="text-align: center;">  </div>	<p>Unit 2, Sessions 1,2 Unit 6, Sessions 8-12 Work Place 6C</p> <p>Home Connections: 53, 54, 58</p> <p>Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Act. 1, 2, & Ind. Worksheets 1, 2</p> <p>Number Corner Nov, Feb Calendar Grid Mar Comp. Fluency</p>	<p>Formal Vol 3, pp 779-783, 902-907 (Unit 6 Pre- and Post-Assessments) Number Corner, Baseline & Checkups 1-4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>

<p>5.NBT.2. Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can explain patterns in the number of zeros of the product when multiplying a number by powers of 10. • I can explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. • I can use whole-number exponents to denote powers of 10. <p>REPORT CARD LANGUAGE <i>Explains place value patterns and can use whole number exponents to express powers of 10</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Examples:</p> <ul style="list-style-type: none"> • Students might write: $36 \times 10 = 36 \times 10^1 = 360$ $36 \times 10 \times 10 = 36 \times 10^2 = 3600$ $36 \times 10 \times 10 \times 10 = 36 \times 10^3 = 36,000$ $36 \times 10 \times 10 \times 10 \times 10 = 36 \times 10^4 = 360,000$ • Students might think and/or say: I noticed that every time, I multiplied by 10 I added a zero to the end of the number. That makes sense because each digit's value became 10 times larger. To make a digit 10 times larger, I have to move it one place value to the left. When I multiplied 36 by 10, the 30 became 300. The 6 became 60 or the 36 became 360. So I had to add a zero at the end to have the 3 represent 3 one-hundreds (instead of 3 tens) and the 6 represents 6 tens (instead of 6 ones). • Students should be able to use the same type of reasoning as above to explain why the following multiplication and division problem by powers of 10 make sense. $523 \times 10^3 = 523,000$ The place value of 523 is increased by 3 places. $5,223 \times 10^2 = 522.3$ The place value of 5.223 is increased by 2 places. $52.3 \div 10^1 = 5.23$ The place value of 52.3 is decreased by one place. 	<p>Unit 2, Sessions 1,2 Unit 4, Sessions 3-5 Unit 6, Sessions 8, 11</p> <p>Home Connection: 33</p> <p>Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Act. 1, 2, 4</p> <p>Bridges Practice Book, pp. 22, 23</p> <p>Number Corner Nov, Dec Comp. Fluency</p>	<p>Informal Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Ind. Worksheets 5, 8</p>
<p>5.NBT.3. Read, write, and compare decimals to thousandths.</p> <p>a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000)$.</p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Students build on the understanding they developed in fourth grade to read, write, and compare decimals to thousandths. They connect their prior experiences with using decimal notation for fractions and addition of fractions with denominators of 10 and 100. They use concrete models and number lines to extend this understanding to decimals to the thousandths. Models may include base ten blocks, place value charts, grids, pictures, drawings, manipulatives, technology-based, etc. They read decimals using fractional language and write decimals in fractional form, as well as in expanded notation as show in the standard 3a. This investigation leads them to understanding equivalence of decimals ($0.8 = 0.80 = 0.800$).</p> <p>Example:</p> <ul style="list-style-type: none"> • Some equivalent forms of 0.72 are: $72/100$ $70/100 + 2/100$ $7/10 + 2/100$ 0.720 $7 \times (1/10) + 2 \times (1/100)$ $7 \times (1/10) + 2 \times (1/100) + 0 \times (1/1000)$ $0.70 + 0.02$ $720/1000$ 	<p>Unit 6, Sessions 8-13, 15 Work Place 6C</p> <p>Home Connections: 53, 54, 56, 58</p> <p>Practice Book, pp 111,112, 113</p> <p>Number Corner Nov, Feb Calendar Grid Mar Comp. Fluency</p>	<p>Informal Practice Book, pp. 130</p> <p>Formal Vol. 3, pp 779-783, 902-907 (Unit 6 Pre- and Post-Assessments) Number Corner Baseline & Checkups 2, 3, 4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>

<p>b. Compare two decimals to thousandths based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can read, write, and compare decimals to thousandths. I can read and write decimals to thousandths using base-ten numerals, number names, and expanded form. I can compare two decimals to thousandths based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons. <p>REPORT CARD LANGUAGE <i>Reads, writes, compares, and rounds decimals to thousandths</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Students need to understand the size of decimal numbers and relate them to common benchmarks such as 0, 0.5 (0.50 and 0.500), and 1. Comparing tenths to tenths, hundredths to hundredths, and thousandths to thousandths is simplified if students use their understanding of fractions to compare decimals.</p> <p>Example:</p> <ul style="list-style-type: none"> Comparing 0.25 and 0.17, a student might think, “25 hundredths is more than 17 hundredths”. They may also think that it is 8 hundredths more. They may write this comparison as $0.25 > 0.17$ and recognize that $0.17 < 0.25$ is another way to express this comparison. Comparing 0.207 to 0.26, a student might think, “Both numbers have 2 tenths, so I need to compare the hundredths. The second number has 6 hundredths and the first number has no hundredths so the second number must be larger. Another student might think while writing fractions, “I know that 0.207 is 207 thousandths (and may write 207/1000). 0.26 is 26 hundredths (and may write 26/100) but I can also think of it as 260 thousandths (260/1000). So, 260 thousandths is more than 207 thousandths. 	<p>Unit 6, Sessions 9, 13, 16, 17</p> <p>Work Place 6C</p> <p>Home Connections: 51, 53, 54, 58</p> <p>Number Corner Nov, Feb Calendar Grid</p>	<p>Formal Vol. 3, pp 779-783, 902-907 (Unit 6 Pre- and Post-Assessments) Number Corner Baseline & Checkup 4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>
<p>5.NBT.4. Use place value understanding to round decimals to any place</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can use place value understanding to round decimals to any place. <p>REPORT CARD LANGUAGE <i>Reads, writes, compares, and rounds decimals to thousandths</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>When rounding a decimal to a given place, students may identify the two possible answers, and use their understanding of place value to compare the given number to the possible answers.</p> <p>Example:</p> <ul style="list-style-type: none"> Round 14.235 to the nearest tenth. Students recognize that the possible answer must be in tenths thus, it is either 14.2 or 14.3. They then identify that 14.235 is closer to 14.2 (14.20) than to 14.3 (14.30). 	<p>Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Ind. Worksheet 1</p> <p>Bridges Practice Book, p. 14</p>	<p>Informal Bridges Practice Book, p. 14</p> <p>Formal Number Corner, Vol. 1, pp. 110-114 (Checkup 1) Number Corner, Checkups 2, 3 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>


Number and Operations in Base Ten (NBT)				
Perform operations with multi-digit whole numbers and with decimals to hundredths				
Standards <i>Students are expected to:</i>	Mathematical Practices	Explanations and Examples	Bridges Lessons	Bridges Assessments
<p>5.NBT.5. Fluently multiply multi-digit whole numbers using the standard algorithm.</p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.6. Attend to precision.</p>	<p>In prior grades, students used various strategies to multiply. Students can continue to use these different strategies as long as they are efficient, but must also understand and be able to use the standard algorithm. In applying the standard algorithm, students recognize the importance of place value.</p>	<p>Unit 2, Sessions 10-12</p> <p>Home Connections: 16, 17, 21, 49, 60, 61</p>	<p>Informal Bridges Practice Book, pp. 29, 30</p> <p>Formal</p>

<p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can multiply multi-digit whole numbers using standard algorithms. <p>REPORT CARD LANGUAGE <i>Uses a variety of strategies (e.g. arrays, fact families, algorithms) to fluently multiply and divide multi-digit whole numbers</i></p>	<p>5.MP.7. Look for and make use of structure.</p> <p>5.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Example:</p> <ul style="list-style-type: none"> 123 x 34. When students apply the standard algorithm, they, decompose 34 into 30 + 4. Then they multiply 123 by 4, the value of the number in the ones place, and then multiply 123 by 30, the value of the 3 in the tens place, and add the two products. 	<p>Bridges Practice Book, pp. 25, 26, 28, 81</p> <p>Number Corner Nov, Dec, Jan Comp. Fluency</p>	<p>Bridges, Vol. 1, pp 195-203, 298-306 (Unit 2 Pre- & Post-Assessments) Number Corner, Baseline & checkups 2, 3 (*See Gr 5 revised Number Corner Quarterly Assessments online)</p>
<p>5.NBT.6. Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can find whole-number quotients of whole numbers. I can use strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. I can illustrate and explain calculations by using equations, rectangular arrays, and/or area models. <p>REPORT CARD LANGUAGE <i>Uses a variety of strategies (e.g. arrays, fact families, algorithms) to fluently multiply and divide multi-digit whole numbers</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>In fourth grade, students' experiences with division were limited to dividing by one-digit divisors. This standard extends students' prior experiences with strategies, illustrations, and explanations. When the two-digit divisor is a "familiar" number, a student might decompose the dividend using place value.</p> <p>Example:</p> <ul style="list-style-type: none"> Using expanded notation $\sim 2682 \div 25 = (2000 + 600 + 80 + 2) \div 25$ Using his or her understanding of the relationship between 100 and 25, a student might think: <ul style="list-style-type: none"> I know that 100 divided by 25 is 4 so 200 divided by 25 is 8 and 2000 divided by 25 is 80. 600 divided by 25 has to be 24. Since 3×25 is 75, I know that 80 divided by 25 is 3 with a remainder of 5. (Note that a student might divide into 82 and not 80) I can't divide 2 by 25 so 2 plus the 5 leaves a remainder of 7. $80 + 24 + 3 = 107$. So, the answer is 107 with a remainder of 7. Using an equation that relates division to multiplication, $25 \times n = 2682$, a student might estimate the answer to be slightly larger than 100 because s/he recognizes that $25 \times 100 = 2500$. Example: $968 \div 21$ Using base ten models, a student can represent 962 and use the models to make an array with one dimension of 21. The student continues to make the array until no more groups of 21 can be made. Remainders are not part of the array. <p>Example: $9984 \div 64$</p> <ul style="list-style-type: none"> An area model for division is shown below. As the student uses the area model, s/he keeps track of how much of the 9984 is left to divide. <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div>	<p>Unit 1, Sessions 7, 8, 11, 12 Unit 2, Sessions 13-20 Unit 2 p 289 (Division challenge Problems) Unit 4, Sessions 2, 4-10</p> <p>Work Place 4B Unit 6, Sessions 2, 10</p> <p>Supp. Set A4 Number & Operations: Long Division, Act. 1, 2</p> <p>Bridges Practice Book, pp. 1, 5, 9, 21, 22, 30, 32, 35-39, 61, 63, 64, 66-68, 70, 79, 81-83, 85, 90</p> <p>Number Corner Oct Calendar Collector Dec, Feb, May Comp. Fluency</p>	<p>Informal Unit 2, Sessions 17, 20 (Work Samples) Unit 5, Session 13 (Work Sample)</p> <p>Bridges Practice Book, pp., 99, 100, 131</p> <p>Formal Bridges, Vol. 1, pp. 195-203, 298-306 (Unit 2 Pre- & Post-Assessments) Bridges, Vol. 2 pp 498-504, 626-632 (Unit 4 Pre- & Post-Assessments) Number Corner, Baseline & Checkups 1-4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>

<p>5.NBT.7. Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can add, subtract, multiply, and divide decimals to hundredths. • I can use concrete models or drawings and strategies based on place value, properties of operation, and/or the relationship between addition and subtraction. • I can relate strategies to a written method and explain the reasoning used. <p>REPORT CARD LANGUAGE <i>Adds, subtracts, multiplies, and divides decimals to hundredths with visual /concrete models</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>This standard requires students to extend the models and strategies they developed for whole numbers in grades 1-4 to decimal values. Before students are asked to give exact answers, they should estimate answers based on their understanding of operations and the value of the numbers.</p> <p>Examples:</p> <ul style="list-style-type: none"> • $3.6 + 1.7$ <ul style="list-style-type: none"> ○ A student might estimate the sum to be larger than 5 because 3.6 is more than $3\frac{1}{2}$ and 1.7 is more than $1\frac{1}{2}$ • $5.4 - 0.8$ <ul style="list-style-type: none"> ○ A student might estimate the answer to be a little more than 4.4 because a number less than 1 is being subtracted. • 6×2.4 <ul style="list-style-type: none"> ○ A student might estimate an answer between 12 and 18 since 6×2 is 12 and 6×3 is 18. Another student might give an estimate of a little less than 15 because s/he figures the answer to be very close, but smaller than $6 \times 2\frac{1}{2}$ and think of $2\frac{1}{2}$ groups of 6 as 12 (2 groups of 6) + 3 ($\frac{1}{2}$ of a group of 6). <p>Students should be able to express that when they add decimals they add tenths to tenths and hundredths to hundredths. So, when they are adding in a vertical format (numbers beneath each other), it is important that they write numbers with the same place value beneath each other. This understanding can be reinforced by connecting addition of decimals to their understanding of addition of fractions. Adding fractions with denominators of 10 and 100 is a standard in fourth grade.</p> <p>Example: $4 - 0.3$</p> <ul style="list-style-type: none"> • 3 tenths subtracted from 4 wholes. The wholes must be divided into tenths.  <p>The answer is 3 and $\frac{7}{10}$ or 3.7.</p> <p>Example: An area model can be useful for illustrating products.</p>  <table style="margin-left: auto; margin-right: 0;"> <tr><td>2.4</td></tr> <tr><td>$\times 1.3$</td></tr> <tr><td><u>.12</u></td></tr> <tr><td>.60</td></tr> <tr><td><u>.40</u></td></tr> <tr><td>$+ 2.00$</td></tr> <tr><td><u>3.12</u></td></tr> </table> <p>Students should be able to describe the partial products displayed by the area model. For example, “$\frac{3}{10}$ times $\frac{4}{10}$ is $\frac{12}{100}$. $\frac{3}{10}$ times 2 is $\frac{6}{10}$ or $\frac{60}{100}$. 1 group of $\frac{4}{10}$ is $\frac{4}{10}$ or $\frac{40}{100}$. 1 group of 2 is 2.”</p>	2.4	$\times 1.3$	<u>.12</u>	.60	<u>.40</u>	$+ 2.00$	<u>3.12</u>	<p>Unit 2, Sessions 11, 12 Unit 6, Session 14 Unit 6, p 873 (Challenge) Home Connections 53 (Challenge), 55, 56, 58</p> <p>Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Act. 1-8 & Ind. Worksheets 3-7</p> <p>Bridges Practice Book, pp. 28, 34, 38, 112, 113, 114, 115, 116, 138</p> <p>Number Corner Mar Comp. Fluency</p>	<p>Informal Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Ind. Worksheet 8 Bridges Practice Book pp. 120, 130, 137</p> <p>Formal Bridges, Vol. 1, pp 298-306 (Unit 2 Post-Assessment) Bridges, Vol. 3, pp 779-783, 902-907 (Unit 6 Pre- & Post-Assessments) Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers, Act. 1, 8 Number Corner, Checkups 3, 4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>
2.4											
$\times 1.3$											
<u>.12</u>											
.60											
<u>.40</u>											
$+ 2.00$											
<u>3.12</u>											



Example: Finding the number in each group or share

- Students should be encouraged to apply a fair sharing model separating decimal values into equal parts such as $2.4 \div 6 = 0.6$



Example: Find the number of groups

- Joe has 1.6 meters of rope. He has to cut pieces of rope that are 0.2 meters long. How many can he cut?
- To divide to find the number of groups, a student might:
 - draw a segment to represent 1.6 meters. In doing so, s/he would count in tenths to identify the 6 tenths, and be able identify the number of 2 tenths within the 6 tenths. The student can then extend the idea of counting by tenths to divide the one meter into tenths and



- count groups of 2 tenths without the use of models or diagrams. Knowing that 1 can be thought of as $10/10$, a student might think of 1.6 as 16 tenths. Counting 2 tenths, 4 tenths, 6 tenths, . . . 16 tenths, a student can count 8 groups of 2 tenths.
- Use their understanding of multiplication and think, "8 groups of 2 is 16, so 8 groups of $2/10$ is $16/10$ or $1 \frac{6}{10}$."

Technology Connections: Create models using Interactive Whiteboard software (such as SMART Notebook)

Number and Operations—Fractions (NF)

Use equivalent fractions as a strategy to add and subtract fractions

Standards <i>Students are expected to:</i>	Mathematical Practices	Explanations and Examples	Bridges Lessons	Bridges Assessments
<p>5.NF.1. Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. <i>For example, $2/3 + 5/4 = 8/12 + 15/12 = 23/12$. (In general, $a/b + c/d = (ad + bc)/bd$.)</i></p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can use equivalent fractions as a strategy to add and subtract fractions. I can add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions with like denominators. <p>REPORT CARD LANGUAGE <i>Uses efficient strategies to estimate and compute (+, -) fractions in real world and mathematical problems</i></p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Students should apply their understanding of equivalent fractions developed in fourth grade and their ability to rewrite fractions in an equivalent form to find common denominators. They should know that multiplying the denominators will always give a common denominator but may not result in the smallest denominator.</p> <p>Examples:</p> <ul style="list-style-type: none"> $\frac{2}{5} + \frac{7}{8} = \frac{16}{40} + \frac{35}{40} = \frac{51}{40}$ $3\frac{1}{4} - \frac{1}{6} = 3\frac{3}{12} - \frac{2}{12} = 3\frac{1}{12}$ 	<p>Unit 4, Sessions 11-16, 19, 20-22 Unit 6, Sessions 5-7, 14 Unit 6, p. 890 (Challenge) Unit 6, p. 895 (Challenge)</p> <p>Supp. Set A9 Number & Operations: Multiplying Fractions, Act. 1-7 & Ind. Worksheets 1-5 Supp. Set D2 Measurement: Volume, Act. 4, 5 & Ind. Worksheets 4, 5</p> <p>Bridges Practice Book, pp. 78, 80, 93, 94, 134, 136</p> <p>Home Connections: 23, 40, 51, 52, 56, 58</p> <p>Number Corner Nov. Calendar Grid Nov. Calendar Collector Mar. & Apr. Computational Fluency</p>	<p>Informal Work Samples: Unit 4, Sessions 15, 16 Unit 6, Sessions 6, 14 Bridges Practice Book, pp. 119, 133, 135</p> <p>Formal Bridges, Vol. 2 pp. 498-504, 626-632 (Unit 4 Pre- and Post-Assessments) Bridges, Vol. 3, pp. 779-783, 902-907 (Unit 6 Pre- and Post-Assessments) Number Corner, Baseline & Checkups 3, 4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p>
<p>5.NF.2. Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions and number sense of fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers. <i>For example, recognize an incorrect result $2/5 + 1/2 = 3/7$,</i></p>	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make</p>	<p>Examples:</p> <ul style="list-style-type: none"> Jerry was making two different types of cookies. One recipe needed $2/3$ cup of sugar and the other needed $1/2$ cup of sugar. How much sugar did he need to make both recipes? <p>Mental estimation: A student may say that Jerry needs more than 1 cup of sugar but less than 2 cups. An explanation may compare both fractions to $1/2$ and state that both are larger than $1/2$ so the total must be more than 1. In addition, both fractions are slightly less than 1 so the sum cannot be more than 2.</p>	<p>Unit 4, Sessions 11-16, 19, 20-22 Unit 6, Sessions 5-7, 14 Unit 6, p. 890 (Challenge) Unit 6, p. 895 (Challenge)</p> <p>Supp. Set A9 Number & Operations: Multiplying Fractions, Act. 1-7 & Ind. Worksheets 1-5 Supp. Set D2 Measurement: Volume, Act. 4, 5 & Ind.</p>	<p>Informal Work Samples: Unit 4, Sessions 15, 16 Unit 6, Sessions 6, 14 Bridges Practice Book, pp. 119, 133, 135</p> <p>Formal Bridges, Vol. 2 pp. 498-504, 626-632 (Unit 4 Pre- and Post-Assessments) Bridges, Vol. 3, pp. 779-783, 902-907 (Unit 6 Pre- and Post-</p>

by observing that $\frac{3}{7} < \frac{1}{2}$.


CCSS I can statements:

- I can use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers.
- I can solve word problems involving addition and subtraction of fractions referring to the same whole.

REPORT CARD LANGUAGE

Uses efficient strategies to estimate and compute (+, -) fractions in real world and mathematical problems

use of structure.
5.MP.8. Look for and express regularity in




Example: Using a bar diagram

- Sonia had $2\frac{1}{3}$ candy bars. She promised her brother that she would give him $\frac{1}{2}$ of a candy bar. How much will she have left after she gives her brother the amount she promised?
- If Mary ran 3 miles every week for 4 weeks, she would reach her goal for the month. The first day of the first week she ran $1\frac{1}{4}$ miles. How many miles does she still need to run the first week?
 - Using addition to find the answer: $1\frac{1}{4} + n = 3$
 - A student might add $1\frac{1}{4}$ to $1\frac{1}{4}$ to get to 3 miles. Then he or she would add $\frac{1}{6}$ more. Thus $1\frac{1}{4}$ miles + $\frac{1}{6}$ of a mile is what Mary needs to run during that week.


Example: Using an area model to subtract

- This model shows $1\frac{1}{4}$ subtracted from $3\frac{1}{6}$ leaving $1 + \frac{1}{4} + \frac{1}{6}$ which a student can then change to $1 + \frac{3}{12} + \frac{2}{12} = 1\frac{5}{12}$.



$3\frac{1}{6}$ and $1\frac{1}{4}$ can be expressed with a denominator of 12. Once this is done a student can complete the problem, $2\frac{14}{12} - 1\frac{9}{12} = 1\frac{5}{12}$.

- This diagram models a way to show how $3\frac{1}{6}$ and $1\frac{1}{4}$ can be expressed with a denominator of 12. Once this is accomplished, a student can complete the problem, $2\frac{14}{12} - 1\frac{9}{12} = 1\frac{5}{12}$.



Worksheets 4, 5

Bridges Practice Book, pp. 78, 80, 93, 94, 134, 136

Home Connections: 23, 40, 51, 52, 56, 58

Number Corner



Nov. Calendar Grid
Nov. Calendar Collector
Mar. & Apr. Computational Fluency

Assessments)

Number Corner, Baseline & Checkups 3, 4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)

		<p>Estimation skills include identifying when estimation is appropriate, determining the level of accuracy needed, selecting the appropriate method of estimation, and verifying solutions or determining the reasonableness of situations using various estimation strategies. Estimation strategies for calculations with fractions extend from students' work with whole number operations and can be supported through the use of physical models.</p> <p>Example:</p> <ul style="list-style-type: none"> Elli drank $\frac{3}{5}$ quart of milk and Javier drank $\frac{1}{10}$ of a quart less than Ellie. How much milk did they drink all together? <p>Solution:</p> $\frac{3}{5} - \frac{1}{10} = \frac{6}{10} - \frac{1}{10} = \frac{5}{10}$ <p>This is how much milk Javier drank</p> $\frac{3}{5} + \frac{5}{10} = \frac{6}{10} + \frac{5}{10} = \frac{11}{10}$ <p>Together they drank $1 \frac{1}{10}$ quarts of milk This solution is reasonable because Ellie drank more than $\frac{1}{2}$ quart and Javier drank $\frac{1}{2}$ quart so together they drank slightly more than one quart.</p>		
--	--	---	--	--

Number and Operations—Fractions (NF) Apply and extend previous understandings of multiplication and division to multiply and divide fractions				
<p>5.NF.3. Interpret a fraction as division of the numerator by the denominator ($a/b = a \div b$). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. <i>For example, interpret $\frac{3}{4}$ as the result of dividing 3 by 4, noting that $\frac{3}{4}$ multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size $\frac{3}{4}$. If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?</i></p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can interpret a fraction as division of the numerator by the denominator ($a/b = a \div b$). I can solve word problems involving division of whole 	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Students are expected to demonstrate their understanding using concrete materials, drawing models, and explaining their thinking when working with fractions in multiple contexts. They read $\frac{3}{5}$ as “three fifths” and after many experiences with sharing problems, learn that $\frac{3}{5}$ can also be interpreted as “3 divided by 5.”</p> <p>Examples:</p> <ul style="list-style-type: none"> Ten team members are sharing 3 boxes of cookies. How much of a box will each student get? <ul style="list-style-type: none"> When working this problem a student should recognize that the 3 boxes are being divided into 10 groups, so s/he is seeing the solution to the following equation, $10 \times n = 3$ (10 groups of some amount is 3 boxes) which can also be written as $n = 3 \div 10$. Using models or diagram, they divide each box into 10 groups, resulting in each team member getting $\frac{3}{10}$ of a box. Two afterschool clubs are having pizza parties. For the Math Club, the teacher will order 3 pizzas for every 5 students. For the student council, the teacher will order 5 pizzas for every 8 students. Since you are in both groups, you need to decide which party to attend. How much pizza would you get at each party? If you want to have the most pizza, which party should you attend? The six fifth grade classrooms have a total of 27 boxes of pencils. How many boxes will each classroom receive? <p>Students may recognize this as a whole number division problem but should also express this equal sharing problem as $27/6$. They explain that each classroom gets $27/6$ boxes of pencils and can further determine that each classroom get $4 \frac{3}{6}$ or $4 \frac{1}{2}$ boxes of pencils.</p>	<p>Unit 4, p.567 Unit 6, Session 2 Unit 6, pp. 856-857 (Challenge)</p> <p>Workplace 6D</p> <p>Supp. Set A9 Number & Operations: Multiplying Fractions, Act. 1-7 & Ind. Worksheets 1-5 Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers At. 2-7 & Ind. Worksheets 1-3 Supp. Set D2 Measurement: Volume, Act. 4, 5 & Ind. Worksheets 4, 5</p> <p>Home Connection: 37</p> <p>Number Corner Mar. Comp. Fluency</p>	<p>Formal Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers, Act. 1, 8</p>

<p>numbers leading to answers in the form of fractions or mixed numbers.</p> <p>REPORT CARD LANGUAGE <i>Applies and extends previous understandings of multiplication and division to multiply and divide fractions</i></p>				
<p>5.NF.4. Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction.</p> <p>a. Interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. For example, use a visual fraction model to show $(2/3) \times 4 = 8/3$, and create a story context for this equation. Do the same with $(2/3) \times (4/5) = 8/15$. (In general, $(a/b) \times (c/d) = ac/bd$.)</p> <p>b. Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. In general, $(a/b) \times (c/d) = ac/bd$. • I can find the area of a rectangle with fractional side lengths by tiling it with unit 	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p> <p>5.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Students are expected to multiply fractions including proper fractions, improper fractions, and mixed numbers. They multiply fractions efficiently and accurately as well as solve problems in both contextual and non-contextual situations.</p> <ul style="list-style-type: none"> • As they multiply fractions such as $3/5 \times 6$, they can think of the operation in more than one way. $3 \times (6 \div 5)$ or $(3 \times 6) \div 5$ $(3 \times 6) \div 5$ or $18 \div 5$ ($18/5$) • Students create a story problem for $3/5 \times 6$ such as: Isabel had 6 feet of wrapping paper. She used $3/5$ of the paper to wrap some presents. How much does she have left? Every day Tim ran $3/5$ of mile. How far did he run after 6 days? (Interpreting this as $6 \times 3/5$) <p>Examples: Building on previous understandings of multiplication</p> <ul style="list-style-type: none"> • Rectangle with dimensions of 2 and 3 showing that $2 \times 3 = 6$.  <ul style="list-style-type: none"> • Rectangle with dimensions of 2 and $2/3$ showing that $2 \times 2/3 = 4/3$ 	<p>Unit 4, Sessions 13, 15, 16</p> <p>Supp. Set A9 Number & Operations: Multiplying Fractions, Act. 1-7 & Ind. Worksheets 1-5</p> <p>Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Act. 4</p> <p>Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers Act. 2-7 & Ind. Worksheets 1-3</p> <p>Supp. Set D2 Measurement: Volume, Act. 4, 5 7 Ind. Worksheets 4, 5</p> <p>Home Connection: 36</p> <p>Number Corner Mar. Comp. Fluency Apr. Problem Solving</p>	<p>Formal Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers, Act. 1, 8</p>

squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths.


• I can multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.

REPORT CARD LANGUAGE

Applies and extends previous understandings of multiplication and division to multiply and divide fractions


Multiplies fractions and mixed numbers using visual models and applies previous understandings to solve real world and mathematical problems

- $2\frac{1}{2}$ groups of $3\frac{1}{2}$:




In solving the problem $\frac{2}{3} \times \frac{4}{5}$, students use an area model to visualize it as a 2 by 4 array of small rectangles each of which has side lengths $\frac{1}{3}$ and $\frac{1}{5}$. They reason that $\frac{1}{3} \times \frac{1}{5} = \frac{1}{15}$ by counting squares in the entire rectangle, so the area of the shaded area is $(2 \times 4) \times \frac{1}{15}$ $\times \frac{1}{3} \times \frac{4}{5} = \frac{2 \times 4}{2 \times 5}$. They can explain that the product is less than $\frac{4}{5}$ because they are finding $\frac{2}{3}$ of $\frac{4}{5}$.

They can further estimate that the answer must be between $\frac{2}{5}$ and $\frac{4}{5}$ because $\frac{2}{3}$ of $\frac{4}{5}$ is more than $\frac{1}{2}$ of $\frac{4}{5}$ and less than one group of $\frac{4}{5}$.




The area model and the line segments show that the area is the same quantity as the product of the side lengths.




- Larry knows that $\frac{1}{12} \times \frac{1}{12}$ is $\frac{1}{144}$. To prove this he makes the following array.



Technology Connections:

- Create story problems for peers to solve using digital tools.
- Use a tool such as Jing to digitally communicate story problems.

<p>5.NF.5. Interpret multiplication as scaling (resizing), by:</p> <p>a. Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.</p> <p>b. Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to the effect of multiplying a/b by 1.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can interpret multiplication as scaling(resizing). • I can compare the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication. • I can apply the principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to the effect of multiplying a/b by 1. <p>REPORT CARD LANGUAGE <i>Multiplies fractions and mixed numbers using visual models and applies previous understandings to solve real world and mathematical problems</i></p>	<p>5.MP.2. Reason abstractly and quantitatively. 5.MP.4. Model with mathematics. 5.MP.6. Attend to precision. 5.MP.7. Look for and make use of structure.</p>	<p>Examples:</p> <ul style="list-style-type: none"> • $\frac{3}{4} \times 7$ is less than 7 because 7 is multiplied by a factor less than 1 so the product must be less than 7. <div style="text-align: center;">  </div> <ul style="list-style-type: none"> • $2\frac{2}{3} \times 8$ must be more than 8 because 2 groups of 8 is 16 and $2\frac{2}{3}$ is almost 3 groups of 8. So the answer must be close to, but less than 24. • $\frac{3}{4} = \frac{5 \times 3}{4 \times 5}$ because multiplying $\frac{3}{4}$ by $\frac{5}{5}$ is the same as multiplying by 1. 	<p>Unit 4, Sessions 3-5, 10 Unit 6, Sessions 3-7 Unit 7, Sessions 8, 10, 11 Supp. Set A9 Number & Operations: Multiplying Fractions, Act. 2, 3, 4 Supp. Set A11 Number & Operations: Multiplying & Dividing Decimals, Act. 1, 2, 4</p> <p>Home Connections: 33, 50, 51, 65</p> <p>Bridges Practice Book, pp. 103, 104, 106, 127, 129</p> <p>Number Corner Oct. Calendar Grid</p>	
---	--	--	--	--

<p>5.NF.6. Solve real world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.</p> <p>CCSS I can statement:</p> <ul style="list-style-type: none"> • I can solve real world problems involving multiplication of fractions and mixed numbers. <p>REPORT CARD LANGUAGE <i>Multiplies fractions and mixed numbers using visual models and applies previous understandings to solve real world and mathematical problems</i></p>	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p> <p>5.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Examples:</p> <ul style="list-style-type: none"> • Evan bought 6 roses for his mother. $\frac{2}{3}$ of them were red. How many red roses were there? <ul style="list-style-type: none"> ○ Using a visual, a student divides the 6 roses into 3 groups and counts how many are in 2 of the 3 groups.  <ul style="list-style-type: none"> ○ A student can use an equation to solve. $\frac{2}{3} \times 6 = \frac{12}{3} = 4$ red roses • Mary and Joe determined that the dimensions of their school flag needed to be $1\frac{1}{3}$ ft. by $2\frac{1}{4}$ ft. What will be the area of the school flag? <ul style="list-style-type: none"> ○ A student can draw an array to find this product and can also use his or her understanding of decomposing numbers to explain the multiplication. Thinking ahead a student may decide to multiply by $1\frac{1}{3}$ instead of $2\frac{1}{4}$.  <p>The explanation may include the following:</p> <ul style="list-style-type: none"> ○ First, I am going to multiply $2\frac{1}{4}$ by 1 and then by $\frac{1}{3}$. ○ When I multiply $2\frac{1}{4}$ by 1, it equals $2\frac{1}{4}$. ○ Now I have to multiply $2\frac{1}{4}$ by $\frac{1}{3}$. ○ $\frac{1}{3}$ times 2 is $\frac{2}{3}$. ○ $\frac{1}{3}$ times $\frac{1}{4}$ is $\frac{1}{12}$. <p>So the answer is $2\frac{1}{4} + \frac{2}{3} + \frac{1}{12}$ or $2\frac{3}{12} + \frac{8}{12} + \frac{1}{12} = 2\frac{12}{12} = 3$</p> 	<p>Unit 4, Sessions 13, 15, 16, 20 Unit 4, p. 602 Unit 6, Sessions 3, 4, 16</p> <p>Work Place 6B</p> <p>Supp. Set A9 Number & Operations: Multiplying Fractions, Act. 2-7 & Ind. Worksheets 1-5 Supp. Set D2 Measurement: Volume, Act. 4, 5 & Ind. Worksheets 4, 5</p> <p>Home Connections: 36, 39, 40, 52, 57, 58</p> <p>Number Corner Apr. Problem Solving</p>	
<p>5.NF.7. Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions. (Students able to multiply fractions in general can develop strategies to divide fractions in general, by reasoning about the relationship between multiplication and division. But division of a fraction by a fraction is not a requirement at this grade.)</p> <p>a. Interpret division of a unit fraction by a non-zero whole number, and compute such quotients. <i>For example, create</i></p>	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p> <p>5.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>In fifth grade, students experience division problems with whole number divisors and unit fraction dividends (fractions with a numerator of 1) or with unit fraction divisors and whole number dividends. Students extend their understanding of the meaning of fractions, how many unit fractions are in a whole, and their understanding of multiplication and division as involving equal groups or shares and the number of objects in each group/share. In sixth grade, they will use this foundational understanding to divide into and by more complex fractions and develop abstract methods of dividing by fractions.</p> <p>Example: Knowing the number of groups/shares and finding how many/much in each group/share</p> <ul style="list-style-type: none"> • Four students sitting at a table were given $\frac{1}{3}$ of a pan of brownies to share. How much of a pan will each student get if they share the pan of brownies equally? <p>The diagram shows the $\frac{1}{3}$ pan divided into 4 equal shares with each share equaling $\frac{1}{12}$ of the pan.</p>  <p>Examples: Knowing how many in each group/share and finding how many groups/shares</p>	<p>Unit 4, Session 20 Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers Act. 2-7 & Ind. Worksheets 1-3</p> <p>Home Connection: 40</p>	<p>Formal Supp. Set A12 Number & Operations: Dividing Fractions & Whole Numbers, Act. 1,</p>

a story context for $(1/3) \div 4$, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $(1/3) \div 4 = 1/12$ because $(1/12) \times 4 = 1/3$.

b. Interpret division of a whole number by a unit fraction, and compute such quotients. For example, create a story context for $4 \div (1/5)$, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $4 \div (1/5) = 20$ because $20 \times (1/5) = 4$.

c. Solve real world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. For example, how much chocolate will each person get if 3 people share $1/2$ lb of chocolate equally? How many $1/3$ -cup servings are in 2 cups of raisins?

CCSS I can statements:

- I can interpret division of a unit fraction by a non-zero whole number, and compute such quotients.
- I can interpret division of a whole number by a unit fraction, and compute such quotients.


REPORT CARD LANGUAGE

Applies and extends previous understandings of multiplication and division to multiply and divide fractions

Divides unit fractions by whole number and whole number by unit fraction using visual

- Angelo has 4 lbs of peanuts. He wants to give each of his friends $1/5$ lb. How many friends can receive $1/5$ lb of peanuts?

A diagram for $4 \div 1/5$ is shown below. Students explain that since there are five fifths in one whole, there must be 20 fifths in 4 lbs.



- How much rice will each person get if 3 people share $1/2$ lb of rice equally?

$$\frac{1}{2} \div 3 = \frac{3}{6} \div 3 = \frac{1}{6}$$

- A student may think or draw $1/2$ and cut it into 3 equal groups then determine that each of those part is $1/6$.
- A student may think of $1/2$ as equivalent to $3/6$. $3/6$ divided by 3 is $1/6$.

<i>models and applies previous understandings to solve real world and mathematical problems</i>				
---	--	--	--	--


Measurement and Data (MD)

Convert like measurement units within a given measurement system

<p>5.MD.1. Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real world problems.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can convert like measurement units within a given measurement system. • I can convert among different-sized standard measurement units within a given measurement system. • I can use measurement conversions in solving multi-step, real world problems. <p>REPORT CARD LANGUAGE <i>Converts like measurement units within a given measurement system</i></p>	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p>	<p>In fifth grade, students build on their prior knowledge of related measurement units to determine equivalent measurements. Prior to making actual conversions, they examine the units to be converted, determine if the converted amount will be more or less units than the original unit, and explain their reasoning. They use several strategies to convert measurements. When converting metric measurement, students apply their understanding of place value and decimals.</p>	<p>Unit 1, Session 1 Unit 2, Session 1, 2 Unit 4, Session 6, 9 Unit 6, Session 13 Unit 7, Session 8</p> <p>Work Place 4C</p> <p>Supp. Set D2 Measurement: Volume, Act. 4, 5 Ind. Worksheets: 4, 5</p> <p>Home Connections: 11, 15, 18, 62</p> <p>Bridges Practice Book: pp. 17, 27, 28, 54, 72</p> <p>Number Corner Nov. & Mar. Calendar Collector Mar. Calendar Grid Apr. Problem Solving</p>	<p>Formal Number Corner, Checkup 2 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p> <p>Informal Bridges Practice Book: pp. 74, 86, 91</p>
---	---	--	---	---


Measurement and Data (MD)

Represent and interpret data

<p>5.MD.2. Make a line plot to display a data set of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$). Use operations on fractions for this grade to solve problems involving information presented in line plots. <i>For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.</i></p>	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<ul style="list-style-type: none"> • Ten beakers, measured in liters, are filled with a liquid. <p style="text-align: center;">Liquid in Beakers</p>  <p style="text-align: center;">Amount of Liquid (in Liters)</p> <p>The line plot above shows the amount of liquid in liters in 10 beakers. If the liquid is redistributed equally, how much liquid would each beaker have? (This amount is the mean.)</p> <p>Students apply their understanding of operations with fractions. They use either addition and/or multiplication to determine the total number of liters in the beakers. Then the sum of the liters is shared evenly among the ten beakers.</p>	<p>Supp. Set D2 Measurement: Volume, Act. 4 & 5 Ind. Worksheets 4 & 5</p>	<p>Informal Supp. Set D2 Measurement: Volume, Act. 6</p>
---	---	--	---	---

<p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can make a line plot to display a data set of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$) • I can use operations on fractions from this grade to solve problems involving information presented in line plots. <p>REPORT CARD LANGUAGE Represents and interprets data on a line plot using fractions of a unit</p>				
--	--	--	--	--

Measurement and Data (MD)				
Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition				
<p>5.MD.3. Recognize volume as an attribute of solid figures and understand concepts of volume measurement.</p> <p>a. A cube with side length 1 unit, called a “unit cube,” is said to have “one cubic unit” of volume, and can be used to measure volume.</p> <p>b. A solid figure which can be packed without gaps or overlaps using n unit cubes is said to have a volume of n cubic units.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> • I can recognize volume as an attribute of a solid figure. • I can identify a cube with a side length of 1 unit as having a volume of one cubic unit. <p>REPORT CARD LANGUAGE Recognizes volume as an attribute of solid figures and understands concepts for calculating volume in real world and mathematical problems</p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Students’ prior experiences with volume were restricted to liquid volume. As students develop their understanding volume they understand that a 1-unit by 1-unit by 1-unit cube is the standard unit for measuring volume. This cube has a length of 1 unit, a width of 1 unit and a height of 1 unit and is called a cubic unit. This cubic unit is written with an exponent of 3 (e.g., in^3, m^3). Students connect this notation to their understanding of powers of 10 in our place value system. Models of cubic inches, centimeters, cubic feet, etc., are helpful in developing an image of a cubic unit. Student’s estimate how many cubic yards would be needed to fill the classroom or how many cubic centimeters would be needed to fill a pencil box.</p>	<p>Unit 3, Session 20</p> <p>Supp. Set D2 Measurement: Volume, Act. 1-3 Ind. Worksheets 1-3</p> <p>Number Corner Jan. Apr. Calendar Grid</p>	<p>Informal Supp. Set D2 Measurement: Volume, Act. 6</p>
<p>5.MD.4. Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and</p>	<p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with</p>	<p>Students understand that same sized cubic units are used to measure volume. They select appropriate units to measure volume. For example, they make a distinction between which units are more appropriate for measuring the volume of a gym and the volume of a box of</p>	<p>Supp. Set D2 Measurement: Volume, Act. 1-3</p>	<p>Formal Number Corner, Checkups 2, 4 (*See Gr</p>


<p>improvised units.</p> <p>CCSS I can statements:</p> <ul style="list-style-type: none"> I can measurement volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units. <p>REPORT CARD LANGUAGE</p> <p><i>Recognizes volume as an attribute of solid figures and understands concepts for calculating volume in real world and mathematical problems</i></p>	<p>mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p>	<p>books. They can also improvise a cubic unit using any unit as a length (e.g., the length of their pencil). Students can apply these ideas by filling containers with cubic units (wooden cubes) to find the volume. They may also use drawings or interactive computer software to simulate the same filling process.</p> <p>Technology Connections:</p> <p>http://illuminations.nctm.org/ActivityDetail.aspx?ID=6</p>	<p>Ind. Worksheets 1-3</p> <p>Number Corner</p> <p>Jan. Apr. Calendar Grid</p>	<p>5 Revised Number Corner Quarterly Assessments online)</p> <p>Informal</p> <p>Supp. Set D2</p> <p>Measurement: Volume, Act. 6</p>															
<p>5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.</p> <p>a. Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication.</p> <p>b. Apply the formulas $V = l \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real world and mathematical problems.</p> <p>c. Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.</p>	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.3. Construct viable arguments and critique the reasoning of others.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p> <p>5.MP.8. Look for and express regularity in repeated reasoning.</p>	<p>Students need multiple opportunities to measure volume by filling rectangular prisms with cubes and looking at the relationship between the total volume and the area of the base. They derive the volume formula (volume equals the area of the base times the height) and explore how this idea would apply to other prisms. Students use the associative property of multiplication and decomposition of numbers using factors to investigate rectangular prisms with a given number of cubic units.</p> <p>Examples:</p> <ul style="list-style-type: none"> When given 24 cubes, students make as many rectangular prisms as possible with a volume of 24 cubic units. Students build the prisms and record possible dimensions. <table border="1" data-bbox="919 868 1289 1010"> <thead> <tr> <th>Length</th> <th>Width</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2</td> <td>12</td> </tr> <tr> <td>2</td> <td>2</td> <td>6</td> </tr> <tr> <td>4</td> <td>2</td> <td>3</td> </tr> <tr> <td>8</td> <td>3</td> <td>1</td> </tr> </tbody> </table> <ul style="list-style-type: none"> Students determine the volume of concrete needed to build the steps in the diagram below.  <ul style="list-style-type: none"> A homeowner is building a swimming pool and needs to calculate the volume of water needed to fill the pool. The design of the pool is shown in the illustration below. 	Length	Width	Height	1	2	12	2	2	6	4	2	3	8	3	1	<p>Unit 3, Session 20</p> <p>Supp. Set D2</p> <p>Measurement: Volume, Act. 1-5</p> <p>Ind. Worksheets 1-5</p> <p>Bridges Practice Book: pp. 57, 59, 60</p> <p>Number Corner</p> <p>Jan. Apr. Calendar Grid</p>	<p>Formal</p> <p>Bridges, Vol. 2, pp. 463-468 (Unit 3 Post-Assessment)</p> <p>Number Corner, Checkups 2, 4 (*See Gr 5 Revised Number Corner Quarterly Assessments online)</p> <p>Informal</p> <p>Supp. Set D2</p> <p>Measurement: Volume, Act. 6</p> <p>Bridges Practice Book: pp. 65, 69</p>
Length	Width	Height																	
1	2	12																	
2	2	6																	
4	2	3																	
8	3	1																	

CCSS I can statements:

- I can show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base.
- I can find volume of rectangular prisms using a variety of methods and use these techniques to solve real world and mathematical problems.
- I can apply the formulas $V=l \times w \times h$ and $v=b \times h$ for rectangular prisms to find volume.
- I can model the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes.
- I can use the additive nature of volume to find volumes of solid figures composed of two non-overlapping right rectangular prisms.


REPORT CARD LANGUAGE

Recognizes volume as an attribute of solid figures and understands concepts for calculating volume in real world and mathematical problems



Geometry (G)

Graph points on the coordinate plane to solve real-world and mathematical problems

<p>5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).</p> <p>CCSS I can statement:</p> <ul style="list-style-type: none"> I can use a pair of perpendicular number lines to define a coordinate system. I can locate a given point in the plane using an ordered pair of numbers, called coordinates. <p>REPORT CARD LANGUAGE <i>Graphs points on the coordinate plane to solve real world and mathematical problems</i></p>	<p>5.MP.4. Model with mathematics.</p> <p>5.MP.6. Attend to precision.</p> <p>5.MP.7. Look for and make use of structure.</p>	<p>Examples:</p> <ul style="list-style-type: none"> Students can use a classroom size coordinate system to physically locate the coordinate point (5, 3) by starting at the origin point (0,0), walking 5 units along the x axis to find the first number in the pair (5), and then walking up 3 units for the second number in the pair (3). The ordered pair names a point in the plane.  <ul style="list-style-type: none"> Graph and label the points below in a coordinate system. <ul style="list-style-type: none"> A (0, 0) B (5, 1) C (0, 6) D (2.5, 6) E (6, 2) F (4, 1) G (3, 0) 	<p>Unit 1, Session 18 Unit 7, Sessions 4-6</p> <p>Supp. Set A10 Number & Operations: Integers, Activity 3 Ind. Worksheets 2, 3 Home Connection: 28</p> <p>Number Corner Mar. Calendar Grid</p>	<p>Formal Bridges, Vol. 2, pp. 356-361, (Unit 3 Pre- and Post-Assessments) Number Corner, Checkup 3 (* See Gr 5 Revised Number Corner Quarterly Assessments online)</p>
<p>5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.</p> <p>CCSS I can statement:</p> <ul style="list-style-type: none"> I can represent real world and 	<p>5.MP.1. Make sense of problems and persevere in solving them.</p> <p>5.MP.2. Reason abstractly and quantitatively.</p> <p>5.MP.4. Model with mathematics.</p> <p>5.MP.5. Use appropriate tools strategically.</p> <p>5.MP.6. Attend to precision.</p>	<p>Examples:</p> <ul style="list-style-type: none"> Sara has saved \$20. She earns \$8 for each hour she works. <ul style="list-style-type: none"> If Sara saves all of her money, how much will she have after working 3 hours? 5 hours? 10 hours? Create a graph that shows the relationship between the hours Sara worked and the amount of money she has saved. What other information do you know from analyzing the graph? Use the graph below to determine how much money Jack makes after working exactly 9 hours. 	<p>Unit 1, Session 18</p> <p>Supp. Set A10 Number & Operations: Integers, Act. 3 Ind. Worksheets 2, 3</p> <p>Number Corner Oct. Comp. Fluency Mar. Calendar Grid</p>	<p>Informal Bridges Practice Book, pp. 55, 98</p>

<p>mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.</p> <p>REPORT CARD LANGUAGE <i>Graphs points on the coordinate plane to solve real world and mathematical problems</i></p>	<p>5.MP.7. Look for and make use of structure.</p>			
--	--	--	--	--


Geometry (G) Classify two-dimensional figures into categories based on their properties				
<p>5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. <i>For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.</i></p> <p>CCSS I can statement: • I can explain that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category.</p> <p>REPORT CARD LANGUAGE <i>Classifies two-dimensional figures into categories and subcategories based on their properties</i></p>	<p>5.MP.2. Reason abstractly and quantitatively. 5.MP.6. Attend to precision. 5.MP.7. Look for and make use of structure.</p>	<p>Geometric properties include properties of sides (parallel, perpendicular, congruent), properties of angles (type, measurement, congruent), and properties of symmetry (point and line).</p> <p>Example:</p> <ul style="list-style-type: none"> • If the opposite sides on a parallelogram are parallel and congruent, then rectangles are parallelograms • A sample of questions that might be posed to students include: <ul style="list-style-type: none"> ○ A parallelogram has 4 sides with both sets of opposite sides parallel. What types of quadrilaterals are parallelograms? ○ Regular polygons have all of their sides and angles congruent. Name or draw some regular polygons. ○ All rectangles have 4 right angles. Squares have 4 right angles so they are also rectangles. True or False? ○ A trapezoid has 2 sides parallel so it must be a parallelogram. True or False? <p>Technology Connections: http://illuminations.nctm.org/ActivityDetail.aspx?ID=70</p>	<p>Unit 3, Sessions 1, 8, 13, 14</p> <p>Workplace: 38</p> <p>Supp. Set C1 Geometry: Triangles & Quadrilaterals, Act. 1, 2 Ind. Worksheets 1-4</p> <p>Home Connection: 24</p> <p>Number Corner Sep., Oct. Calendar Grid</p>	<p>Informal Bridges Practice Book, pp. 41, 43, 97</p>
<p>5.G.4. Classify two-dimensional figures in a hierarchy based on properties.</p> <p>CCSS I can statement: • I can classify two-dimensional figures in a hierarchy based on properties.</p> <p>REPORT CARD LANGUAGE <i>Classifies two-dimensional figures into categories and</i></p>	<p>5.MP.2. Reason abstractly and quantitatively. 5.MP.3. Construct viable arguments and critique the reasoning of others. 5.MP.5. Use appropriate tools strategically. 5.MP.6. Attend to precision. 5.MP.7. Look for and make use of structure.</p>	<p>Properties of figure may include:</p> <ul style="list-style-type: none"> • Properties of sides—parallel, perpendicular, congruent, number of sides • Properties of angles—types of angles, congruent <p>Examples:</p> <ul style="list-style-type: none"> • A right triangle can be both scalene and isosceles, but not equilateral. • A scalene triangle can be right, acute and obtuse. • Triangles can be classified by: Angles 	<p>Supp. Set C1 Geometry: Triangles & Quadrilaterals, Act. 1, 2 Ind. Worksheets 1-4</p> <p>Bridges Practice Book, pp. 41, 43, 44, 97, 140</p>	<p>Informal Bridges Practice Book pp.41, 43, 97</p>

subcategories based on their properties

- Right: The triangle has one angle that measures 90° .
- Acute: The triangle has exactly three angles that measure between 0° and 90° .
- Obtuse: The triangle has exactly one angle that measures greater than 90° and less than 180° .

Sides

- Equilateral: All sides of the triangle are the same length.
- Isosceles: At least two sides of the triangle are the same length.
- Scalene: No sides of the triangle are the same length.



Standards for Mathematical Practice (MP)

<i>Standards Students are expected to:</i>	<i>Mathematical Practices are listed throughout the grade level document in the 2nd column to reflect the need to connect the mathematical practices to mathematical content in instruction.</i>	<i>Explanations and Examples</i>
5.MP.1. Make sense of problems and persevere in solving them.		Students solve problems by applying their understanding of operations with whole numbers, decimals, and fractions including mixed numbers. They solve problems related to volume and measurement conversions. Students seek the meaning of a problem and look for efficient ways to represent and solve it. They may check their thinking by asking themselves, “What is the most efficient way to solve the problem?”, “Does this make sense?”, and “Can I solve the problem in a different way?”.
5.MP.2. Reason abstractly and quantitatively.		Fifth graders should recognize that a number represents a specific quantity. They connect quantities to written symbols and create a logical representation of the problem at hand, considering both the appropriate units involved and the meaning of quantities. They extend this understanding from whole numbers to their work with fractions and decimals. Students write simple expressions that record calculations with numbers and represent or round numbers using place value concepts.
5.MP.3. Construct viable arguments and critique the reasoning of others.		In fifth grade, students may construct arguments using concrete referents, such as objects, pictures, and drawings. They explain calculations based upon models and properties of operations and rules that generate patterns. They demonstrate and explain the relationship between volume and multiplication. They refine their mathematical communication skills as they participate in mathematical discussions involving questions like “How did you get that?” and “Why is that true?” They explain their thinking to others and respond to others’ thinking.
5.MP.4. Model with mathematics.		Students experiment with representing problem situations in multiple ways including numbers, words (mathematical language), drawing pictures, using objects, making a chart, list, or graph, creating equations, etc. Students need opportunities to connect the different representations and explain the connections. They should be able to use all of these representations as needed. Fifth graders should evaluate their results in the context of the situation and whether the results make sense. They also evaluate the utility of models to determine which models are most useful and efficient to solve problems.
5.MP.5. Use appropriate tools strategically.		Fifth graders consider the available tools (including estimation) when solving a mathematical problem and decide when certain tools might be helpful. For instance, they may use unit cubes to fill a rectangular prism and then use a ruler to measure the dimensions. They use graph paper to accurately create graphs and solve problems or make predictions from real world data.
5.MP.6. Attend to precision.		Students continue to refine their mathematical communication skills by using clear and precise language in their discussions with others and in their own reasoning. Students use appropriate terminology when referring to expressions, fractions, geometric figures, and coordinate grids. They are careful about specifying units of measure and state the meaning of the symbols they choose. For instance, when figuring out the volume of a rectangular prism they record their answers in cubic units.
5.MP.7. Look for and make use of structure.		In fifth grade, students look closely to discover a pattern or structure. For instance, students use properties of operations as strategies to add, subtract, multiply and divide with whole numbers, fractions, and decimals. They examine numerical patterns and relate them to a rule or a graphical representation.
5.MP.8. Look for and express regularity in repeated reasoning.		Fifth graders use repeated reasoning to understand algorithms and make generalizations about patterns. Students connect place value and their prior work with operations to understand algorithms to fluently multiply multi-digit numbers and perform all operations with decimals to hundredths. Students explore operations with fractions with visual models and begin to formulate generalizations.