Kindergarten PPS/CCSS Alignment Resource:

A comprehensive support resource that aligns the following:

- * Common Core State Standards for Content
- * Common Core State Standards for Mathematical Practice
- Core Curriculum-Bridges Lessons, Supplements, and Number Corner
- Explanations and Examples
- * Assessments
- Report Card Language
- « "I Can" Statements

Kindergarten Common Core Standards to Bridges Correlation

	Counting and Cardinality: Know number names and the count sequence.				
Standards Students are expected to	<u>Mathematical</u> Practices	Explanations and Examples	Bridges Lessons	<u>Assessment</u>	
K.CC.1. Count to 100 by ones and by tens.	K.MP.7. Look for and make use of structure.	The emphasis of this standard is on the counting sequence.	Sessions Volume 1, Session 4	Formal Kindergarten Yearlong Skills	
CCSS I can statement: I can count to 100 by ones and by tens.	K.MP.8. Look for and express regularity in	When counting by ones, students need to understand that the next number in the sequence is one more. When counting by tens, the next number in the sequence is "ten more" (or one more group of ten).	Volume 2, Sessions 57–59, 84, 85, 92, 94, 95, 97, 99 Volume 2, Work Places 2A, 2B, 2I, 2J, 2K,	Assessment,* Tasks 1, 3	
Report Card Language: Counts to 100 by ones and tens	repeated reasoning.	 Instruction on the counting sequence should be scaffolded (e.g., 1-10, then 1-20, etc.). Counting should be reinforced throughout the day, not in isolation. Examples: Count the number of chairs of the students who are absent. Count the number of stairs, shoes, etc. Counting groups of ten such as "fingers in the classroom" (ten fingers per student). When counting orally, students should recognize the patterns that exist from 1 to 100. They should also recognize the patterns that exist when counting by 10s. 	 Volume 2, work races 2A, 2D, 2D, 2J, 2S, 2R, 2L, 2M, 2L, 2M, 2N Common Core Supplement Set A4 <u>Number Corner</u> Sept–May Calendar Grid (use CCSS supplements) The Rainbow Number Line Numbers and Combinations to Ten Through the School Year Sept Our Month in School Oct–May A Link Each School Day Jan-Jun Kid Count Dec-May Our Month in School Dec-May Kid Count # Line Feb Day 100 Activities 		
K.CC.2. Count forward beginning from a given number within the known sequence (instead of having to begin at 1). CCSS I can statement: I can count on from a number other than 1 to 100.	K.MP.7. Look for and make use of structure.	The emphasis of this standard is on the counting sequence to 100. Students should be able to count forward from any number, 1-99.	Sessions: Volume 1, Sessions 25, 43, 50, 51, 55 Volume 1, Work Place 1P Volume 2, Sessions 57, 58, 61, 63, 64, 69, 79, 80, 84, 85, 92, 97 Volume 2, Work Places 2A, 2D, 2F, 2G, 2H, 2I, 2J, 2L, 2N Common Core Supplement Set A4	Formal Kindergarten Yearlong Skills Assessment, Task 2 Informal S70 & 71 Observational Checklist: Ten & More (Bridges Blackline 2.4) S70 & 71	

Report Card Language:			Number Corner	Observational
Counts forward beginning			Rainbow Number Line	Checklist: Sock
with any number less than			Dec-May Capture the Number	Boxes & Coins: Beat
100			Dec-Feb Our Month in School	You to 20¢ (Bridges
			Feb-May A Link Each School Day	Blackline 2.5)
K.CC.3. Write numbers from	K.MP.2. Reason	Students should be given multiple opportunities to count	Sessions	Formal
$\overline{0}$ to 20. Represent a number of	abstractly and	objects and recognize that a number represents a specific	Volume 1, Sessions 23, 26, 30, 43, 46, 55	Getting Started:
objects with a written numeral	quantitatively.	quantity. Once this is established, students begin to read	Volume 1, Work Place 10	Assessment Work-
$\overline{0-20}$ (with 0 representing a	1 5	and write numerals (numerals are the symbols for the	,	sheet 3 (Matching
count of no objects).	K.MP.7. Look	quantities). The emphasis should first be on quantity and	Volume 2, Sessions 68, 69, 92	Sets & Numerals)
• /	for and make use	then connecting quantities to the written symbols.	Volume 2, Work Places 2F, 2J, 2N	Getting Started:
CCSS I can statements:	of structure.	• A sample unit sequence might include:		Assessment
• I can count numbers 0 to 20.		1. Counting up to 20 objects in many	Common Core Supplement Set A4	Worksheet 5
• I can write numbers from 0	K.MP.8. Look	settings and situations over several		(Patterning &
to 20.	for and express	weeks.	Number Corner	Numeral Writing)
• I can show how many	regularity in	2. Beginning to recognize, identify, and	Sept Our Month in School	
objects by writing the number	repeated	read the written numerals, and match	Numbers and Combinations to Ten Through	
for 0-20.	reasoning.	the numerals to given sets of objects.	the School Year	<u>Informal</u>
	-	3. Writing the numerals to represent	Nov Writing Today's Date	S70 & 71
Report Card Language:		counted objects.	Dec/Jan Kid Count	Observational
Reads and writes numbers		Since the teen numbers are not written as they are said,	Feb–April Calendar Supplement Calendar	Checklist: Ten &
from 0-20		teaching the teen numbers as one group of ten and extra	Markers	More (Bridges
		ones is foundational to understanding both the concept		Blackline 2.4)
		and the symbol that represents each teen number. For		
		example, when focusing on the number "14," students		
		should count out fourteen objects using one-to-one		
		correspondence and then use those objects to make one		
		group of ten and four extra ones. Students should connect		
		the representation to the symbol "14."		
	K.MP.2. Reason		Sessions	<u>Informal</u>
K.CC.4. Understand the	abstractly and	This standard focuses on one-to-one correspondence and	Volume 1, Sessions 19, 23, 27, 49, 55	S70 & 71
relationship between numbers	quantitatively.	how cardinality connects with quantity.		Observational
and quantities; connect	-	• For example, when counting three bears, the	Volume 2, Sessions 57–59, 61, 63, 64, 68,	Checklist: Beat You
counting to cardinality.	K.MP.7. Look	student should use the counting sequence, "1-2-	84, 85, 92, 94, 95, 97	to 20 (Bridges
a. When counting objects,	for and make use	3," to count the bears and recognize that "three"		Blackline 2.3)
say the number names in	of structure.	represents the group of bears, not just the third	Volume 2, Work Places 2A, 2B, 2D, 2I, 2J,	Ten & More (Bridges
the standard order, pairing		bear. A student may use an interactive	2K, 2L, 2N	Blackline 2.4)
each object with one and	K.MP.8. Look	whiteboard to count objects, cluster the objects,		
only one number name and	for and express	and state, "This is three".		
each number name with	regularity in			
Such manie of manie with				
one and only one object.	repeated	In order to understand that each successive number name		

 number name said tells the number of objects counted. The number of objects is the same regardless of their arrangement or the order in which they were counted. c. Understand that each successive number name refers to a quantity that is one larger. CCSS I can statements: I can match each object with a number when counting. (K.CC.4a) I can tell how many objects are in a group. (K.CC.4b) I can tell the number that is one more. (K.CC.4c) 		 have experience counting objects, placing one more object in the group at a time. For example, using cubes, the student should count the existing group, and then place another cube in the set. Some students may need to recount from one, but the goal is that they would count on from the existing number of cubes. S/he should continue placing one more cube at a time and identify the total number in order to see that the counting sequence results in a quantity that is one larger each time one more cube is placed in the group. A student may use a clicker (electronic response system) to communicate his/her count to the teacher. 	Number Corner Numbers and Combinations to Ten Through The School Year Oct-May A Link Each School Day Dec/Jan Our Month in School October Common Core Calendar Markers Jan Calendar Markers Feb Our Month in School May Our Month in School	Formal Getting Started: Interview 1 Getting Started: Interview 2 Getting Started: Interview 3 Kindergarten Yearlong Skills Assessment, Task 3
 K.CC.5. Count to answer "how many?" questions about as many as 20 things arranged in a line, a rectangular array, or a circle, or as many as 10 things in a scattered configuration; given a number from 1–20, count out that many objects. CCSS I can statements: • I can count objects up to 20 in different ways. • I can say "how many" objects are in a group. • I can count objects to match numbers from 1 to 20. 	K.MP.2. Reason abstractly and quantitatively. K.MP.7. Look for and make use of structure. K.MP.8. Look for and express regularity in repeated reasoning.	 Students should develop counting strategies to help them organize the counting process to avoid re-counting or skipping objects. Examples: If items are placed in a circle, the student may mark or identify the starting object. If items are in a scattered configuration, the student may move the objects into an organized pattern. Some students may choose to use grouping strategies such as placing objects in twos, fives, or tens (note: this is not a kindergarten expectation). Counting up to 20 objects should be reinforced when collecting data to create charts and graphs. A student may use a clicker (electronic response system) to communicate his/her count to the teacher. 	SessionsVolume 1, Sessions 4, 7, 10, 14, 16–18, 20,23, 25, 26, 28–30, 40, 41, 43, 49, 50, 51, 55Volume 1, Work Places 1F, 1J, 1M, 1PVolume 2, Sessions 55, 57–59, 61, 63, 64,68, 69, 80, 84, 85, 92, 94, 95, 97Volume 2, Work Places 2A, 2B, 2D, 2F,2H, 2J, 2K, 2L, 2NNumber CornerNumbers and Combinations to Ten ThroughThe School YearDec/Jan Kid CountDec-May Capture the NumberDec-Apr Our Month in SchoolMay Here's When We Were BornOctober Common Core Calendar Markers	Formal Getting Started: Interview 1 Getting Started: Interview 2 Getting Started: Assessment Work- sheet 3 (Matching Sets & Numerals) Kindergarten Yearlong Skills Assessment, Task 3 Informal S70 & 71 Observational Checklist: Beat You to 20 (Bridges Blackline 2.3) S70 & 71 Observational Checklist: Ten & More (Bridges

Report Card Language: Counts up to 20 objects when asked "how many?"				Blackline 2.4) S70 & 71 Observational Checklist: Sock Boxes & Coins: Beat You to 20¢ (Bridges Blackline 2.5)
K.CC.6. Identify whether the number of objects in one group is greater than, less than, or equal to the number of objects in another group, e.g., by using matching and counting strategies. (Include groups with up to ten objects) CCSS I can statements: • I can describe "equal to". • I can describe "greater than". • I can describe "less than". • I can identify if a group of objects is greater than, less than or equal to another group. <i>Report Card Language:</i> <i>Compares two numbers</i> <i>between 1-10 (e.g. greater,</i> <i>less)</i>	K.MP.2. Reason abstractly and quantitatively. K.MP.7. Look for and make use of structure. K.MP.8. Look for and express regularity in repeated reasoning.	 Students should develop a strong sense of the relationship between quantities and numerals before they begin comparing numbers. Other strategies: Matching: Students use one-to-one correspondence, repeatedly matching one object from one set with one object from the other set to determine which set has more objects. Counting: Students count the objects in each set, and then identify which set has more, less, or an equal number of objects. Observation: Students may use observation to compare two quantities (e.g., by looking at two sets of objects, they may be able to tell which set has more or less without counting). Observations in comparing two quantities can be accomplished through daily routines of collecting and organizing data in displays. Students create object graphs and pictographs using data relevant to their lives (e.g., favorite ice cream, eye color, pets, etc.). Graphs may be constructed by groups of students as well as by individual students. Benchmark Numbers: This would be the appropriate time to introduce the use of 0, 5 and 10 as benchmark numbers to help students further develop their sense of quantity as well as their ability to compare numbers. 	SessionsVolume 1, Sessions 5, 7, 16–18, 20, 28, 29,40, 41, 50, 51Volume 1, Work Places 1F, 1J, 1M, 1PVolume 2, Sessions 57, 58, 63, 64, 68, 80,84, 85, 92, 97Volume 2, Work Places 2A, 2D, 2H, 2I, 2J,2LCommon Core Supplement A4Number CornerOct Calendar GridJan-May Capture the NumberMar/Apr Our Month in SchoolMay Here's When We Were Born	Formal Getting Started: Assessment Work- sheet 4 (Comparing More & Less) Kindergarten Yearlong Skills Assessment, Tasks 5, 6 Informal S70 & S71 Observational Checklist: Beat You to 20 (Bridges Blackline 2.3) S70 & 71 Observational Checklist: Sock Boxes & Coins: Beat You to 20¢ (Bridges Blackline 2.5)

K.CC.7. Compare two numbers between 1 and 10	K.MP.2. Reason abstractly and	Given two numerals, students should determine which is greater or less than the other.	Common Core Supplement A4	Formal Kindergarten
presented as written numerals.	quantitatively.		<u>Number Corner</u>	Yearlong Skills
			Nov Writing Today's Date	Assessment, Task 2
CCSS I can statement:			Jan-May Capture the Number	
I can tell if a number is greater				
than, less than, or equal to another number.				
Report Card Language:				
Compares two numbers				
between 1-10 (e.g. greater,				
less)				

Operations and Algebraic Thinking Understand addition as putting together and adding to, and understand subtraction as taking apart and taking from.				
Standards	Mathematical	<i>Explanations and Examples</i>	Bridges Lessons	Assessment
	Practices			
 K.0A.1. Represent addition and subtraction with objects, fingers, mental images, drawings, sounds (e.g., claps), acting out situations, verbal explanations, expressions, or equations. (Drawings need not show details, but should show the mathematics in the problems. This applies wherever drawings are mentioned in the Standards.) CCSS I can statements: I can show that adding is putting groups together. I can show that subtraction is taking apart or taking away. I can show addition in different ways. I can show subtraction in different ways. Report Card Language: Understands addition as adding to and putting together 	K.MP.1. Make sense of problems and persevere in solving them. K.MP.2. Reason abstractly and quantitatively. K.MP.4. Model with mathematics. K.MP.5. Use appropriate tools strategically.	Using addition and subtraction in a word problem context allows students to develop their understanding of what it means to add and subtract. Students should use objects, fingers, mental images, drawing, sounds, acting out situations and verbal explanations in order to develop the concepts of addition and subtraction. Then, they should be introduced to writing expressions and equations using appropriate terminology and symbols which include "+," "-," and "=". • Addition terminology: add, join, put together, plus, combine, total • Subtraction terminology: minus, take away, separate, difference, compare Students may use document cameras or interactive whiteboards to represent the concept of addition or subtraction. This gives them the opportunity to communicate their thinking.	Sessions Volume 1, Sessions 31, 32 Volume 2, Sessions 73–80, 82, 83, 105–111 Volume 2, Work Places 2H, 2O Common Core Supplement A4 <u>Number Corner</u> Numbers and Combinations to Ten Through The School Year Mar/Apr Our Month in School	Formal Kindergarten Yearlong Skills Assessment, Task 8

K.0A.2. Solve addition and	K.MP.1. Make	Understanding the concept of 10 is fundamental to	Sectors	Formal
			<u>Sessions</u>	
subtraction word problems,	sense of problems and	understanding about what it means to add and subtract.	Volume 1 Sections 1(17	Kindergarten
and add and subtract within	1	Addition is putting together and adding to. Subtraction is	Volume 1, Sessions 16, 17	Yearlong Skills
<u>10, e.g., by using objects or</u>	persevere in	taking apart and taking from.	Wellow 1 West Dives 1D	Assessment, Task 8
drawings to represent the	solving them.	Kindergarteners develop the concept of	Volume 1, Work Place 1F	
problem.		addition/subtraction by modeling the actions in word		
	K.MP.2. Reason	problems using objects, fingers, mental images, drawings,	Volume 2, Sessions 74–80, 82, 83, 105,	
CCSS I can statements:	abstractly and	sounds, acting out situations, and/or verbal explanations.	106, 109–111	
• I can understand the concept	quantitatively.	Students may use different representations based on their		
of putting together as adding		experiences, preferences, etc. They may connect their	Volume 2, Work Place 2O	
and taking apart as		conceptual representations of the situation using symbols,		
subtracting.		expressions, and/or equations. Students should experience	Common Core Supplement Set A4	
• I can add and subtract		the following addition and subtraction problem types (see		
numbers within 10 (0-10).		Table 1).		
• I can solve addition and				
subtraction word problems.	K.MP.3.	• Add To word problems, such as, "Mia had 3	Number Corner	
	Construct viable	apples. Her friend gave her 2 more. How many	Numbers and Combinations to Ten Through	
Report Card Language:	arguments and	does she have now?"	The School Year	
Understands addition as	critique the	• A student's "think aloud" of this	Dec/Jan Kid Count	
adding to and putting	reasoning of	problem might be, "I know that Mia	Feb/Mar Link Each School Day	
together	others.	has some apples and she's getting some	Mar/Apr Our Month in School	
		more. So she's going to end up with	May Here's When We Were Born	
Understands subtraction as	K.MP.4. Model	more apples than she started with."	5	
taking from and taking apart	with	• Take From problems such as:		
	mathematics.	 José had 8 markers and he gave 2 away. 		
		How many does he have now? When		
	K.MP.5. Use	modeled, a student would begin with 8		
	appropriate tools	objects and remove two to get the		
	strategically.	result.		
	strategieuny.	 Put Together/Take Apart problems with Total 		
		Unknown gives students opportunities to work with addition in another context such as:		
		• There are 2 red apples on the counter		
		and 3 green apples on the counter.		
		How many apples are on the counter?		
		• Solving Put Together/Take Apart problems with		
		Both Addends Unknown provides students with		
		experiences with finding all the decompositions		
		of a number and investigating the patterns		
		involved.		
		• There are 10 apples on the counter.		
		Some are red and some are green. How		

K.0A.3. Decompose numbers less than or equal to 10 into pairs in more than one way, e.g., by using objects or drawings, and record each decomposition by a drawing or equation (e.g., $5 = 2 + 3$ and $5 = 4 + 1$).K.MP.1. Make sense of problems and persevere in solving them.CCSS I can statement: I can show numbers to 10 with different groups.K.MP.4. Model with mathematics.Report Card Language: Understands addition as adding to and putting togetherK.MP.7. Look for and make use of structure.K.MP.8. Look for and express regularity in repeated reasoning.K.MP.8. Look for and express	many apples could be green? How many apples could be red?Students may use a document camera or interactive whiteboard to demonstrate addition or subtraction strategies. This gives them the opportunity to communicate and justify their thinking.This standard focuses on number pairs which add to a specified total, 1-10. These number pairs may be examined either in or out of context.Students may use objects such as cubes, two-color counters, square tiles, etc. to show different number pairs for a given number. For example, for the number 5, students may also use drawings to show different number pairs for a given number. For example, students may draw 5 objects, showing how to decompose in several ways.X X X X 5 objectsX X X X 5 objectsX X X X 5 objectsX X X X 5 objectsSumple unit sequence:• A contextual problem (word problem) is presented to the students such as, "Mia goes to Nan's house. Nan tells her she may have 5 pieces of fruit to take home. There are lots of apples and bananas. How many of each can she take?"• Students find related number pairs using objects (such as cubes or two-color counters), drawings, and/or equations. Students may use different representations based on their experiences, preferences, etc.	Sessions Volume 2, Sessions 115, 116 Common Core Supplement Set A4 Number Corner Numbers and Combinations to Ten Through The School Year Mar/Apr Our Month in School	Formal Kindergarten Yearlong Skills Assessment, Tasks 7, 8 Getting Started: Interview 4c
---	--	--	--

		 Students may write equations that equal 5 such as: 		
		This is a good opportunity for students to systematically list all the possible number pairs for a given number. For example, all the number pairs for 5 could be listed as 0+5, $1+4$, $2+3$, $3+2$, $4+1$, and $5+0$. Students should describe the pattern that they see in the addends, e.g., each number is one less or one more than the previous addend.		
 K.0A.4. For any number from 1 to 9, find the number that makes 10 when added to the given number, e.g., by using objects or drawings, and record the answer with a drawing or equation. CCSS I can statements: I can add two numbers to make 10. I can find a missing number to make 10. 	 K.MP.1. Make sense of problems and persevere in solving them. K.MP.2. Reason abstractly and quantitatively. K.MP.4. Model with mathematics. K.MP.7. Look for and make use of structure. K.MP.8. Look for and express regularity in repeated reasoning. 	 The number pairs that total ten are foundational for students' ability to work fluently within base-ten numbers and operations. Different models, such as ten-frames, cubes, two-color counters, etc., assist students in visualizing these number pairs for ten. Example 1: Students place three objects on a ten frame and then determine how many more are needed to "make a ten." Students may use electronic versions of ten frames to develop this skill. Example 2: The student snaps ten cubes together to make a "train." Student breaks the "train" into two parts. S/he counts how many are in each part and record the associated equation (10 = +). Student breaks the "train into two parts. S/he counts how many are in one part and determines how many are in the other part without directly counting that part. Then s/he records the associated equation (if the counted part has 4 cubes, the equation would be 10 = 4 +). 	Common Core Supplement Set A4 <u>Number Corner</u> September-June Our Month in School	Formal Number Corner Assessments 5, 7 Kindergarten Yearlong Skills Assessment, Task 6 Informal Bridges Practice Book, pp 12, 15, 36, 38, 54, 63

K.OA.5 Fluently add and subtract within 5. CCSS I can statements: • I can add numbers up to 5 without help. • I can subtract numbers up to 5 without help. <i>Report Card Language:</i> <i>Fluently adds and subtracts</i> <i>within 5</i>	K.MP.2. Reason abstractly and quantitatively. K.MP.7. Look for and make use of structure. K.MP.8. Look for and express regularity in repeated reasoning.	 counting the covered part. S/he counts the cubes that are showing and determines how many are covered up. Then s/he records the associated equation (if the counted part has 7 cubes, the equation would be 10 = 7 +). Example 3: The student tosses ten two-color counters on the table and records how many of each color are facing up. This standard focuses on students being able to add and subtract numbers within 5. Adding and subtracting fluently refers to knowledge of procedures, knowledge of when and how to use them appropriately, and skill in performing them flexibly, accurately, and efficiently. Strategies students may use to attain fluency include: Counting on (e.g., for 3+2, students will state, "3," and then count on two more, "4, 5," and state the solution is "5") Counting back (e.g., for 4-3, students will state, "4," and then count back three, "3, 2, 1" and state the solution is "1") Counting up to subtract (e.g., for 5-3, students will say, "3," and then count up until they get to 5, keeping track of how many they counted up, stating that the solution is "2") Using doubles (e.g., for 2+3, students may say, "I know that 2+1=3, so 1+2=3") Using fact families (e.g., students may say, "I know that 2+3=5, so 5-3=2") 	Common Core Supplement A4 Home Connection 20 <u>Number Corner</u> March/April Our Month in School	Formal Kindergarten Yearlong Skills Assessment, Tasks 7, 8
---	--	--	--	--

	Number and Operations in Base Ten					
	Work with numbers 11–19 to gain foundations for place value.					
<u>Standards</u> Students will	<u>Mathematical</u>	Explanations and Examples	Bridges Lessons	<u>Assessment</u>		
be able to:	<u>Practices</u>					
K.NBT.1. Compose and decompose numbers from 11 to 19 into ten ones and some further ones, e.g., by using objects or drawings, and record each composition or decomposition by a drawing or equation (e.g., $18 = 10 + 8$); understand that these numbers are composed of ten ones and one, two, three, four, five, six, seven, eight, or nine ones.	K.MP.1. Make sense of problems and persevere in solving them. K.MP.2. Reason abstractly and quantitatively. K.MP.4. Model with mathematics	 Special attention needs to be paid to this set of numbers as they do not follow a consistent pattern in the verbal counting sequence. Eleven and twelve are special number words. "Teen" means one "ten" plus ones. The verbal counting sequence for teen numbers is backwards – we say the ones digit before the tens digit. For example "27" reads tens to ones (twenty-seven), but 17 reads ones to tens (seventeen). In order for students to interpret the meaning of written teen numbers, they should read the 	Sessions Volume 2, Sessions 61, 62, 65, 68, 69, 84, 85, 92, 97Volume 2, Work Places 2C, 2E, 2F, 2G, 2H, 2I, 2J, 2LCommon Core Supplement Set A1Number Corner October–May Link a Day Dec/Jan Our Month in School	Getting Started: Interview 3		
 CCSS I can statements: I can tell how many tens and ones are in a number. I can make a number using a group of ten and ones. <i>Report Card Language:</i> Works with numbers 11-19 to begin to understand place value (e.g. 1's, 10's) 	mathematics. K.MP.7. Look for and make use of structure. K.MP.8. Look for and express regularity in repeated reasoning.	 number as well as describe the quantity. For example, for 15, the students should read "fifteen" and state that it is one group of ten and five ones and record that 15 = 10 + 5. Teaching the teen numbers as one group of ten and extra ones is foundational to understanding both the concept and the symbol that represent each teen number. For example, when focusing on the number "14," students should count out fourteen objects using one-to-one correspondence and then use those objects to make one group of ten ones and four additional ones. Students should connect the representation to the symbol "14." Students should recognize the pattern that exists in the teen numbers; every teen number is written with a 1 (representing one ten) and ends with the digit that is first stated. 				

Measurement and Data				
		Describe and compare measurable attrib	outes.	
Standards Students will	Mathematical	Explanations and Examples	Bridges Lessons	Assessment
be able to	Practices			
K.MD.1. Describe measurable attributes of objects, such as length or weight. Describe several measurable attributes of a single object. CCSS I can statements:	K.MP.7. Look for and make use of structure.	 In order to describe attributes such as length and weight, students must have many opportunities to informally explore these attributes. Students should compare objects verbally and then focus on specific attributes when making verbal comparisons for K.MD.2. They may identify measurable attributes such as length, 	Sessions Volume 2, Sessions 94, 95, 113, 114 Volume 2, Work Places 2K, 2P Common Core Supplement D1	Set D1 Measurement: Length, Activities 1– 3 Set D2 Measurement: Weight, Activities 1–
 I can describe objects using length and width. I can describe objects using height and weight. <i>Report Card Language:</i> <i>Describes and compares</i> <i>attributes (e.g. heavier,</i> <i>lighter, more, less, larger,</i> <i>smaller)</i> 		 Identify measurable attributes such as length, width, height, and weight. For example, when describing a soda can, a student may talk about how tall, how wide, how heavy, or how much liquid can fit inside. These are all measurable attributes. Non-measurable attributes include: words on the object, colors, pictures, etc. An interactive whiteboard or document camera may be used to model objects with measurable attributes. 	<u>Number Corner</u> Nov Common Core Calendar Markers	3 Set D8 Measurement: Measuring Tools Calendar Pattern Bridges Practice Book, pp 47, 66, 67
K.MD.2. Directly compare two objects with a measurable attribute in common, to see which object has "more of"/"less of" the attribute, and describe the difference. For example, directly compare the heights of two children and describe one child as taller/shorter.CCSS I can statement: I can compare two objects and describe them.Report Card Language: Describes and compares attributes (e.g. heavier, lighter, more, less, larger, smaller)	K.MP.6. Attend to precision. K.MP.7. Look for and make use of structure.	 When making direct comparisons for length, students must attend to the "starting point" of each object. For example, the ends need to be lined up at the same point, or students need to compensate when the starting points are not lined up (conservation of length includes understanding that if an object is moved, its length does not change; an important concept when comparing the lengths of two objects). Language plays an important role in this standard as students describe the similarities and differences of measurable attributes of objects (e.g., shorter than, taller than, lighter than, the same as, etc.). An interactive whiteboard or document camera may be used to compare objects with measurable attributes. 	Sessions Volume 2, Sessions 113, 114 Volume 2, Work Place 2P Common Core Supplement Set D1 <u>Number Corner</u> Nov Common Core Calendar Markers	Formal Unit 5 Interview 1 (Shape Makers)

K MD 2 Classified in the	V MD 2 D	Densitian distants and instants in the former should be	C	E
K.MD.3. Classify objects into	K.MP.2. Reason	Possible objects to sort include buttons, shells, shapes,	Sessions	<u>Formal</u>
given categories; count the	abstractly and	beans, etc. After sorting and counting, it is important for	Volume 1, Sessions 1, 5, 7, 10, 11, 18, 20	Kindergarten
numbers of objects in each	quantitatively.	students to:		Yearlong Skills
category and sort the		• explain how they sorted the objects;	Volume 2, Session 72	Assessment, Task 7
categories by count. (Limit	K.MP.7. Look	 label each set with a category; 		
category counts to be less than	for and make use	• answer a variety of counting questions that ask,	Volume 2, Work Place 2B	
or equal to 10).	of structure.	"How many"; and		
		• compare sorted groups using words such as	<u>Number Corner</u>	
CCSS I can statements:		"most", "least", "alike" and "different".	Oct/Nov Our Month in School	
• I can sort objects into			Mar/April Our Month in School	
groups.			May Here's When We Were Born	
• I can count the numbers of				
objects in each group.				
• I can sort the group by				
number.				
Report Card Language: Sorts and classifies objects and count the number of objects in each category				

Geometry Identify and describe shapes (squares, circles, triangles, rectangles, hexagons, cubes, cones, cylinders, and spheres).			
Mathematical	Explanations and Examples	Bridges Lessons	Assessment
Practices			
<u>Practices</u> K.MP.7. Look for and make use of structure.	 Examples of environments in which students would be encouraged to identify shapes would include nature, buildings, and the classroom using positional words in their descriptions. Teachers should work with children and pose four mathematical questions: Which way? How far? Where? And what objects? To answer these questions, children develop a variety of important skills contributing to their spatial thinking. Examples: Teacher holds up an object such as an ice cream cone, a number cube, ball, etc. and asks students to identify the shape. Teacher holds up a can of soup and asks," What shape is this can?" Students respond "cylinder!" Teacher places an object next to, behind, above, below, beside, or in front of another object and asks positional questions. Where is the water bottle? (water bottle is placed behind a book) Students say "The water bottle is behind the book." 	SessionsVolume 1, Sessions 2, 14, 15, 33, 35, 36, 38, 39, 44, 45Volume 1, Work Places 1B, 1C, 1NVolume 2, Sessions 117–120Volume 2, Work Places 2Q, 2RCommon Core Supplement C2Number Corner Common Core September, November, December Calendar Markers and Activities	
	Students should have multiple opportunities to identify shapes; these may be displayed as photographs or pictures using the document camera or interactive whiteboard.		
K.MP.7. Look for and make use of structure.	Students should be exposed to many types of triangles in many different orientations in order to eliminate the misconception that a triangle is always right-side-up and equilateral.	Sessions Volume 1, Sessions 7, 10, 14, 35, 36, 44, 45, 53, 54	Formal Getting Started: Interview 1 Kindergarten
		Volume 1 Work Places 1L, 1N Volume 2, Sessions 118–120	Yearlong Skills Assessment, Task 4
	Mathematical Practices K.MP.7. Look for and make use of structure.	and describe shapes (squares, circles, triangles, rectangles, hexagorMathematical PracticesExplanations and ExamplesK.MP.7. Look for and make use of structure.Examples of environments in which students would be encouraged to identify shapes would include nature, buildings, and the classroom using positional words in their descriptions. Teachers should work with children and pose four mathematical questions: Which way? How far? Where? And what objects? To answer these questions, children develop a variety of important skills contributing to their spatial thinking.Examples:• Teacher holds up an object such as an ice cream cone, a number cube, ball, etc. and asks students to identify the shape. Teacher holds up a can of soup and asks," What shape is this can?" Students respond "cylinder!"• Teacher places an object next to, behind, above, below, beside, or in front of another object and asks positional questions. Where is the water bottle? (water bottle is placed behind a book) Students say "The water bottle is behind the book."K.MP.7. Look for and make use of structure.Students should be exposed to many types of triangles in many different orientations in order to eliminate the misconception that a triangle is always right-side-up and	and describe shapes (squares, circles, triangles, rectangles, hexagons, cubes, cones, cylinders, and spheres Mathematical Practices Explanations and Examples Bridges Lessons KMP.7. Look for and make use of structure. Examples of environments in which students would be encouraged to identify shapes would include nature, buildings, and the classroom using positional words in their descriptions. Teachers should work with children and pose four mathematical questions: Which way? How far? Where? And what objects? To answer these questions, children develop a variety of important skills contributing to their spatial thinking. Sessions Sessions 117–120 Volume 2, Sessions 117–120 Volume 2, Work Places 2Q, 2R Examples: • Teacher holds up an object such as an ice cream cone, a number cube, ball, etc. and asks students to identify the shape. Teacher holds up a can of soup and asks," What shape is this can?" Students respond "cylinder!" Common Core Supplement C2 • Teacher places an object net to, behind, above, below, beside, or in front of another object and asks positional questions. Where is the water bottle? (water bottle is placed behind a book) Students say "The water bottle is behind the book." Number Corner Common Core September, November, December Calendar Markers and Activities K.MP.7. Look for and make use of structure. Students should have multiple opportunities to identify shapes; these may be displayed as photographs or pictures using the document camera or interactive whiteboard. Sessions 7, 10, 14, 35, 36, 44, 45, 53, 54 K.MP.7. Look for and make use of structure. St

Report Card Language: Identifies and describes two and three-dimensional shapes K.G.3. Identify shapes as two- dimensional (lying in a plane, "flat") or three-dimensional ("solid"). CCSS I can statements: • I can identify 2 dimensional shapes. • I can identify 3 dimensional shapes. • I can identify 3 dimensional shapes. • I can identify 3 dimensional shapes. and three-dimensional shapes	K.MP.7. Look for and make use of structure.	 Students should also be exposed to many shapes in many different sizes. Examples: Teacher makes pairs of paper shapes that are different sizes. Each student is given one shape and the objective is to find the partner who has the same shape. Teacher brings in a variety of spheres (tennis ball, basketball, globe, ping pong ball, etc.) to demonstrate that size doesn't change the name of a shape. Students should be able to differentiate between two dimensional and three dimensional shapes. Student names a picture of a shape as two dimensional because it is flat and can be measured in only two ways (length and width). Student names an object as three dimensional because it is not flat (it is a solid object/shape) and can be measured in three different ways (length, width, height/depth). 	Number Corner Common Core Supplement September, December, January Calendar Markers and Activities Common Core Supplement C1, C2 Number Corner Feb Calendar Grid	
 K.G.4. Analyze and compare two- and three-dimensional shapes, in different sizes and orientations, using informal language to describe their similarities, differences, parts (e.g., number of sides and vertices/"corners") and other attributes (e.g., having sides of equal length). CCSS I can statements: I can describe a shape by telling things like the number of sides and corners. I can compare two and three- dimensional shapes and tell 	K.MP.6. Attend to precision. K.MP.7. Look for and make use of structure.	Students analyze and compare two- and three- dimensional shapes by observations. Their visual thinking enables them to determine if things are alike or different based on the appearance of the shape. Students sort objects based on appearance. Even in early explorations of geometric properties, they are introduced to how categories of shapes are subsumed within other categories. For instance, they will recognize that a square is a special type of rectangle. Students should be exposed to triangles, rectangles, and hexagons whose sides are not all congruent. They first begin to describe these shapes using everyday language and then refine their vocabulary to include sides and vertices/corners. Opportunities to work with pictorial representations, concrete objects, as well as technology helps students develop their understanding and	Sessions Volume 1, Sessions 1, 10–12, 44, 45 Volume 1, Work Place 1N Volume 2, Sessions 119, 120 Volume 2, Work Place 2S Common Core Supplement C1 Number Corner September, January, February Common Core Supplement Calendar Markers	Formal Getting Started: Interview 3 Getting Started: Assessment Work- sheet 1 (Shape Sorting) Kindergarten Yearlong Skills Assessment, Task 4

how they are the same and different.		descriptive vocabulary for both two- and three- dimensional shapes.	
Report Card Language: Analyzes, compares, and creates two and three- dimensional shapes			
K.G.5. Model shapes in the world by building shapes from components (e.g., sticks and clay balls) and drawing shapes.	K.MP.1. Make sense of problems and persevere in solving them.	Because two-dimensional shapes are flat and three- dimensional shapes are solid, students should draw two- dimensional shapes and build three-dimensional shapes. Shapes may be built using materials such as clay, toothpicks, marshmallows, gumdrops, straws, etc.	Sessions Volume 1, Sessions 14, 15, 33–35, 38, 39, 44 Volume 1, Work Places 1B, 1C, 1K, 1L, 1N
CCSS I can statements: • I can identify shapes in the real world.	K.MP.4. Model with mathematics.		Volume 2, Session 117 Volume 2, Work Place 2Q
 I can make shapes. I can draw shapes. <i>Report Card Language:</i> <i>Analyzes, compares, and</i> 	K.MP.7. Look for and make use of structure.		<u>Number Corner</u> Feb Calendar Grid
creates two and three- dimensional shapes			
K.G.6. Compose simple shapes to form larger shapes. For example, "Can you join these two triangles with full	K.MP.1. Make sense of problems and persevere in	Students use pattern blocks, tiles, or paper shapes and technology to make new two- and three-dimensional shapes. Their investigations allow them to determine what kinds of shapes they can join to create new shapes.	Sessions Volume 1, Sessions 14, 33, 35, 36, 44, 45 Volume 1, Work Places 1B, 1C, 1L
sides touching to make a rectangle?"	solving them. K.MP.3.	They answer questions such as "What shapes can you use to make a square, rectangle, circle, triangle?etc."	Volume 2, Sessions 117, 118
 CCSS I can statements: I can put shapes together to make new shapes. I can name the new shapes I made. 	Construct viable arguments and critique the reasoning of others.	Students may use a document camera to display shapes they have composed from other shapes. They may also use an interactive whiteboard to copy shapes and compose new shapes. They should describe and name the new shape.	Volume 2, Work Places 2Q, 2R <u>Number Corner</u> Jan Common Core Calendar Markers
	K.MP.4. Model with mathematics.		
	MP.7. Look for and make use of structure.		

Standards for Mathematical Practice			
<u>Standards</u>		Explanations and Examples	
Students are expected to:	Mathematical Practices are listed throughout the grade level document in the 2nd column to reflect the need to connect the mathematical practices to mathematical content in instruction.		
K.MP.1. Make sense of problems and persevere in solving them.		In Kindergarten, students begin to build the understanding that doing mathematics involves solving problems and discussing how they solved them. Students explain to themselves the meaning of a problem and look for ways to solve it. Younger students may use concrete objects or pictures to help them conceptualize and solve problems. They may check their thinking by asking themselves, "Does this make sense?" or they may try another strategy.	
K.MP.2. Reason abstractly and quantitatively.		Younger students begin to recognize that a number represents a specific quantity. Then, they connect the quantity to written symbols. Quantitative reasoning entails creating a representation of a problem while attending to the meanings of the quantities.	
K.MP.3. Construct viable arguments and critique the reasoning of others.		Younger students construct arguments using concrete referents, such as objects, pictures, drawings, and actions. They also begin to develop their mathematical communication skills as they participate in mathematical discussions involving questions like "How did you get that?" and "Why is that true?" They explain their thinking to others and respond to others' thinking.	
K.MP.4. Model with mathematics.		In early grades, students experiment with representing problem situations in multiple ways including numbers, words (mathematical language), drawing pictures, using objects, acting out, making a chart or list, creating equations, etc. Students need opportunities to connect the different representations and explain the connections. They should be able to use all of these representations as needed.	
K.MP.5. Use appropriate tools strategically.		Younger students begin to consider the available tools (including estimation) when solving a mathematical problem and decide when certain tools might be helpful. For instance, kindergarteners may decide that it might be advantageous to use linking cubes to represent two quantities and then compare the two representations side-by-side.	
K.MP.6. Attend to precision.		As kindergarteners begin to develop their mathematical communication skills, they try to use clear and precise language in their discussions with others and in their own reasoning.	
K.MP.7. Look for and make use of structure.		Younger students begin to discern a pattern or structure. For instance, students recognize the pattern that exists in the teen numbers; every teen number is written with a 1 (representing one ten) and ends with the digit that is first stated. They also recognize that $3 + 2 = 5$ and $2 + 3 = 5$.	
K.MP.8. Look for and express regularity in repeated reasoning.		In the early grades, students notice repetitive actions in counting and computation, etc. For example, they may notice that the next number in a counting sequence is one more. When counting by tens, the next number in the sequence is "ten more" (or one more group of ten). In addition, students continually check their work by asking themselves, "Does this make sense?"	

	Result Unknown	Change Unknown	Start Unknown
Add to	Two bunnies sat on the grass. Three more bunnies hopped there. How many bunnies are on the grass now? 2 + 3 = ?	Two bunnies were sitting on the grass. Some more bunnies hopped there. Then there were five bunnies. How many bunnies hopped over to the first two? 2 + ? = 5	Some bunnies were sitting on the grass. Three more bunnies hopped there. Then there were five bunnies. How many bunnies were on the grass before? ? + 3 = 5
Take from	Five apples were on the table. I ate two apples. How many apples are on the table now? 5-2=?	Five apples were on the table. I ate some apples. Then there were three apples. How many apples did I eat? 5 - ? = 3	Some apples were on the table. I ate two apples. Then there were three apples. How many apples were on the table before? ? - 2 = 3
	Total Unknown	Addend Unknown	Both Addends Unknown ¹
Put Together / Take Apart ²	Three red apples and two green apples are on the table. How many apples are on the table? 3 + 2 = ?	Five apples are on the table. Three are red and the rest are green. How many apples are green? 3 + ? = 5, 5 - 3 = ?	Grandma has five flowers. How many can she put in her red vase and how many in her blue vase? 5 = 0 + 5, 5 = 5 + 0 5 = 1 + 4, 5 = 4 + 1 5 = 2 + 3, 5 = 3 + 2
	Difference Unknown	Bigger Unknown	Smaller Unknown
Compare ³	 ("How many more?" version): Lucy has two apples. Julie has five apples. How many more apples does Julie have than Lucy? ("How many fewer?" version): Lucy has two apples. Julie has five apples. How many fewer apples does Lucy have than Julie? 2 + ? = 5, 5 - 2 = ? 	 (Version with "more"): Julie has three more apples than Lucy. Lucy has two apples. How many apples does Julie have? (Version with "fewer"): Lucy has 3 fewer apples than Julie. Lucy has two apples. How many apples does Julie have? 2 + 3 = ?, 3 + 2 = ? 	(Version with "more"): Julie has three more apples than Lucy. Julie has five apples. How many apples does Lucy have? (Version with "fewer"): Lucy has 3 fewer apples than Julie. Julie has five apples. How many apples does Lucy have? 5-3 = ?, ?+3 = 5

^{\6}Adapted from Box 2-4 of Mathematics Learning in Early Childhood, National Research Council (2009, pp. 32, 33).

¹These take apart situations can be used to show all the decompositions of a given number. The associated equations, which have the total on the left of the equal sign, help children understand that the = sign does not always mean makes or results in but always does mean is the same number as.

 2 Either addend can be unknown, so there are three variations of these problem situations. Both Addends Unknown is a productive extension of this basic situation, especially for small numbers less than or equal to 10.

³For the Bigger Unknown or Smaller Unknown situations, one version directs the correct operation (the version using more for the bigger unknown and using less for the smaller unknown). The other versions are more difficult.