

Portland Public Schools
Healthy and Safe Schools Plan
December 30, 2016 – August 1, 2017

Table of Contents

Responsible Position	3
Communications	3
List of Buildings	4-8
Radon	9
Lead in Drinking Water	10-11
Lead Paint	12
Integrated Pest Management	12
Certifying Statement	13

Responsible Position

The position responsible for maintaining and implementing the Portland Public Schools Healthy and Safe Schools Plan is the Director of Risk Management.

Joe Crelier, ARM
Director of Risk Management
Portland Public Schools
(503) 916-3204
jcrelier@pps.net

The annual update to this plan for the 2017/2018 school year will be completed by August 1, 2017 and subsequent updates will be completed by August 1 of each year following.

Communications

The district will make all final test results, and detailed information explaining the test results, available to the public within five business days of receiving the results by posting on the district's Healthy and Safe Schools webpage. Notice of the significant results will be sent over the email system to the affected individual school communities. Hardcopy results must be requested at the main administration office in accordance with PPS Administrative Directive 2.50.012-AD, Process for Responding to Requests for Public Records.

List of Buildings

Facility	Address
Abernethy Elementary School	2421 SE Orange Avenue, Portland, OR 97124
Ainsworth Elementary School	2425 SW Vista Avenue, Portland, OR 97201
Alameda Elementary School	2732 NE Fremont Street, Portland, OR 97212
Applegate Elem School	7650 N. Commercial Avenue, Portland, OR 97217
Arleta Elementary School	5109 SE 66th Street, Portland, OR 97206
Astor Elementary School	5601 N Yale Street, Portland, OR 97203
Atkinson Elementary School	5800 SE Division Street, Portland, OR 97206
Beach Elementary School	1710 N. Humboldt, Portland, OR 97217
Benson Polytechnic High School	546 NE 12th Avenue, Portland, OR 97232
Beverly Cleary	3560 NE Hollyrood Court, Portland, OR 97212
Boise/Eliot Elementary School	4300 SW 47th Drive, Portland, OR 97221
Bridlemile Elementary School	4300 SW 47th Drive, Portland, OR 97221
Buckman Elementary School	320 SE 16th Avenue, Portland, OR 97214
Capitol Hill Elementary School	8401 SW 17th Avenue, Portland, OR 97219
Cesar Chavez School	5103 N. Willis Boulevard, Portland, OR 97203
Chapman Elementary School	1445 NW 26th Avenue, Portland, OR 97210
Chief Joseph Elementary School	2409 N. Saratoga Street, Portland, OR 97217
Chief Joseph Elementary School	2409 N. Saratoga Street, Portland, OR 97217
Child Service Center	531 SE 14th, Portland, OR 97214

Clarendon Elementary School	5508 N Fessenden Street, Portland, OR 97203
Cleveland High School	3400 SE 26th, Portland, OR 97202
Columbia Transportation	716 NE Marine Drive, Portland, OR 97211
Community Transition Program	2627 NE MLK Boulevard, Portland, OR 97212
Creative Science School	1231 SE 92nd Avenue, Portland, OR 97216
Creston Elementary School	4701 SE Bush Street, Portland, OR 97206
DaVinci Middle School	2508 NE Everett, Portland, OR 97232
Duniway Elementary School	7700 SE Reed College Place, Portland, OR 97202
East Sylvan School	1849 SW 59th, Portland, OR 97219
Education Service Center	501 N. Dixon, Portland, OR 97227
Edwards Elem School	1715 SE 32nd Place, Portland, OR 97214
Faubion Elementary School	3039 NE Portland Boulevard, Portland, OR 97211
Fernwood Middle School	1915 NE 33rd, Portland, OR 97212
Forest Park Elementary	9935 SW Durrett Street, Portland, OR 97225
Foster Site	5285 SE 82nd Avenue, Portland, OR 97266
Franklin High School	5405 SE Woodward Street, Portland, OR 97206
George Middle School	10000 N Burr, Portland, OR 97203
Glencoe Elementary School	825 SE 51st Street, Portland, OR 97215
Grant High School	2245 NE 36th Avenue, Portland, OR 97212
Green Thumb	6745 SE 60th, Portland, OR 97219
Gregory Heights Middle School	7334 Siskiyou Street, Portland, OR 97213
Grout Elementary School	3119 SE Holgate Boulevard, Portland, OR 97202

Harrison Park	2225 SE 87th Avenue, Portland, OR 97216
Harvey Scott Elementary School	6700 NE Prescott Street, Portland, OR 97218
Hayhurst Elementary School	5037 SW Iowa Street, Portland, OR 97221
Holladay Center	2600 SE 71st, Portland, OR 97206
Holladay Annex	7100 SE Division, Portland, OR 97206
Hosford Middle School	2303 SE 28th Place, Portland, OR 97214
Irvington Elementary School	1320 NE Brazee Street, Portland, OR 97212
Jackson Middle School	10625 SW 35th, Portland, OR 97219
James Bridger Elementary School	7910 SE Market Street, Portland, OR 97215
James John Elementary School	7439 N. Charleston Avenue, Portland, OR 97203
Jefferson High School	5210 N. Kerby, Portland, OR 97217
Joseph Kellogg Middle School	3330 SE 69th, Portland, OR 97206
KBPS Radio	514 NE 15th, Portland, OR 97214
Kelly Elementary School	9030 SE Cooper Street, Portland, OR 97266
Kenton Elem School	7528 N. Fenwick Avenue, Portland, OR 97217
King Elementary School	4906 NE 6th Avenue, Portland, OR 97211
Lane Middle School	7200 SE 60th Avenue, Portland, OR 97206
Laurelhurst Elementary School	840 NE 41st Street, Portland, OR 97232
Lee Elementary	2222 NE 92nd Avenue, Portland, OR 97220
Lent Elementary School	5105 SE 97th Avenue, Portland, OR 97266
Lewis Elementary School	4331 SE Evergreen Street, Portland, OR 97206
Lincoln High School	1600 SW Salmon Street, Portland, OR 97205

Llewellyn Elementary School	6301 SE 14th Avenue, Portland, OR 97202
Madison High School	2735 NE 82nd Avenue, Portland, OR 97220
Maplewood Elementary School	7452 SW 52nd Avenue, Portland, OR 97219
Markham Elementary School	10531 SW Capitol Highway, Portland, OR 97219
Marshall High School	3905 SE 91st Avenue, Portland, OR 97266
Mary Rieke Elementary School	1151 SW Vermont, Portland, OR 97219
Marysville Elementary School	7733 SE Raymond Street, Portland, OR 97206
Meek Elementary School	4039 NE Alberta Court, Portland, OR 97211
Metropolitan Learning Center	2033 NW Glisan, Portland, OR 97209
Mt. Tabor Middle School	5800 SE Ash Street, Portland, OR 97215
Ockley Green Middle School	6031 N. Montana, Portland, OR 97217
Peninsula Elementary School	8125 N. Emerald Avenue, Portland, OR 97217
Ramona School	1550 NW 14th Avenue, Portland, OR 97209
Rice Elementary School	6433 NE Tillamook Street, Portland, OR 97219
Richmond Elementary School	2276 SE 41st Avenue, Portland, OR 97214
Rieke Elementary School	1405 SW Vermont, Portland, OR 97215
Rigler Elementary School	5401 NE Prescott Street, Portland, OR 97218
Robert Gray Middle School	5505 SW 23rd Avenue, Portland, OR 97201
Roosevelt High School	6941 N. Central Street, Portland, OR 97203
Rosa Parks Elementary School	8960 N. Woolsey Street, Portland, OR 97203
Rose City Park Elementary School	2334 NE 57th Avenue, Portland, OR 97213
Sabin School	4013 NE 18th Avenue, Portland, OR 97212

Sacajawea HeadStart	4800 NE 73rd, Portland, OR 97218
Sellwood Middle School	8300 SE 15th Avenue, Portland, OR 97202
Sitton Elementary School	9930 N. Smith Street, Portland, OR 97203
Skyline Elementary School	11536 SW Skyline Blvd., Portland, OR 97231
Smith Elementary School	8935 SE 52nd Avenue, Portland, OR 97219
Stephenson Elementary School	2627 SW Stephenson St., Portland, OR 97219
Sunnyside Elementary School	3421 SE Salmon Street, Portland, OR 97214
Sunnyside Environmental	3421 SE Salmon Street, Portland, OR 97214
Terwilliger Site	6318 SW Corbett, Portland, OR 97201
Tubman Middle School	2231 N. Flint, Portland, OR 97227
Vernon Elementary School	2044 NE Killingsworth St., Portland, OR 97211
Vestal Elementary School	161 NE 82nd Avenue, Portland, OR 97220
West Sylvan Middle School	8111 SW West Slope Dr., Portland, OR 97225
Whitman Elementary School	7326 SE Flavel Street, Portland, OR 97206
Wilcox Elementary School	833 NE 74th Avenue, Portland, OR 97213
Wilson High School	1151 SW Vermont Street, Portland, OR 97219
Winterhaven School	3830 SE 14th Avenue, Portland, OR 97202
Woodlawn Elementary School	7200 NE 11th Avenue, Portland, OR 97211
Woodmere Elementary School	6540 SE 78th Avenue, Portland, OR 97206
Woodstock Elementary School	5601 SE 50th Street, Portland, OR 97206
Youngson Elementary School	2704 SE 71st Avenue, Portland, OR 97206

Radon

In accordance with Oregon Revised Statute 332.167, Portland Public Schools has developed the following radon testing plan:

Schedule of radon testing

- Radon testing began during the 2015/2016 school year.
- Testing will resume during the 2016/2017 school year and may carry over to the 2017/2018 school year.
- Testing will occur in the recommended testing period described as “winter heating months”, typically October through March.
- Radon testing is expected to be completed by the spring of 2018 in accordance with the statutory requirement to be completed on or before January 1, 2021.
- Radon testing will be repeated every 10 years.

Results

Radon testing results will be available on the District’s web site and provided to the School Board and the Oregon Health Authority. Results will include measurements and reference the level of radon at which the United States Environmental Protection Agency recommends schools take action to reduce indoor radon.

Methodology

Portland Public Schools has contracted with PBS Engineering and Environmental Inc. of Portland, OR for radon level testing, contract number RS- 62476. Additional radon testing resources will be utilized as needed. Portland Public Schools and its contractors will follow the scope and intent of Oregon Health Authority’s Testing for Elevated Radon in Oregon Schools version 1.0– 2016 and EPA guidelines.

Plan submission

The district’s radon plan was submitted to the Oregon Health Authority on August 30, 2016 via e- mail to radon.program@state.or.us. Updates or revisions will be submitted to OHA as they occur.

Lead in Drinking Water

Lead Water Testing

Sampling of every cold water outlet in the district was completed during the summer of 2016 and all results of the initial “A” sampling have been posted individually [online](#).

The District and consultants are working during the time this plan is effective to thoroughly assess the conditions, potential solutions, and costs to reduce lead in the water.

All drinking fountains, except brand new construction, have been covered or made inoperable, and water dispensers are available in every building to ensure students and staff have safe drinking water.

Priority has been given to ensure water used to prepare food in kitchens is safe. Sinks that have been determined to be acceptable for food preparation will be labeled with green or yellow tags to indicate

- Green - clear to use
- Yellow - follow flush protocol before use

Signage was placed on access doors to all non-fountain water sources (bathrooms, labs, classrooms, etc.) indicating that students and staff should not drink from sinks or any other fixture. Non-drinking uses such as hand-washing is safe.



Do not drink water from this room due to potential lead contamination.

由于潜在的铅污染，请不要饮用此房间的水。

Не пейте воду из этой комнаты из-за возможного загрязнения свинцом.

No tome agua de este cuarto debido a una posible contaminación por plomo.

Ha biyo ka qolka tan kama cabbi sabab u faddarayn biraha kara.

Đừng uống nước trong phòng này vì có thể nhiễm độc chì.



PORTLAND PUBLIC SCHOOLS



Lead Paint

In order to comply with the United States Environmental Protection Agency's Renovations, Repair and Painting Program Rule, and OAR 581-022-2223(5)(e), Portland Public Schools has contracted with an independent third party consultant to survey lead paint levels and has contracted four certified lead paint contractors to abate or encapsulate critical district needs. The survey and paint work is currently in progress.

Integrated Pest Management

The district has adopted an integrated pest management plan as required by ORS 634.700 through 634.750. Community members may access a copy of Administrative Directive 3.30.083-AD here - [link](#)

Certifying Statement

- The draft model plan was presented to the PPS Board of Education at the September 27, 2016 board meeting during the Environmental Health and Safety Update.
- This 12/30/16 – 8/1/17 version of the final plan is up to date as of 12/30/16.
- Results of tests performed may be obtained on the PPS website at: www.pps.net/healthyschools