PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|--|-----------------------|---|
| 270000 COMMUNICATIONS | | |
| Detail and Elevation Project Drawing Size (1) | | ANSI D size (34" x 22") |
| Detail and Elevation Drawing Minimum Scale (1) | | 1/4" = 1'-0" or larger |
| ER/TR Drawing Size (2) | | ANSI D size (34" x 22") |
| ER/TR Drawing Minimum Scale (2) | | 1/4" = 1'-0" or larger |
| Building Composite Project Drawing Size (3) | | ANSI D size (34" x 22") |
| Building Composite Drawing Minimum Scale (3) | | 1/16" = 1'-0" or larger |
| Copper Connectivity: Choice 1 | Commscope | Commscope |
| Copper Connectivity: Choice 2 | Panduit | Panduit |
| Copper Connectivity: Choice 3 | Leviton | Leviton |
| Fiber Connectivity: Choice 1 | Commscope | Commscope 12-strand OS2 |
| Fiber Connectivity: Choice 2 | Panduit | Panduit 12-strand OS2 |
| Fiber Connectivity: Choice 3 | Leviton | Leviton 12-strand OS2 |
| Copper Cabling: Choice 1 | Commscope | Commscope |
| Copper Cabling: Choice 2 | Prysmian | Prysmian (with Panduit) |
| Copper Cabling: Choice 3 | Berk-Tek with Leviton | Berk-Tek (with Leviton) |
| 270526 GROUNDING AND BONDING | | |
| Allowed GB Manufacturer 1 | Harger | Ground Bars and Accessories |
| Allowed GB Manufacturer 2 | Chatsworth | Ground Bars and Accessories |
| Allowed GB Manufacturer 3 | Approved Alternate | |
| Approved Fiber Grounding Manufacturer 1 | Corning | Armored Cable Grounding Kit |
| Approved Fiber Grounding Manufacturer 1 | 3M | Scotchlok Shield Bond Connectors |
| Approved Fiber Grounding Manufacturer 1 | Approved Alternate | |
| Primary Bonding Busbar | Chatsworth | Copper |
| Primary Bonding Busbar Size | Chatsworth | 4"H x 12"W x 1/4" D Copper |
| Secondary Bonding Busbar | Chatsworth | Copper |
| Secondary Bonding Busbar Size | Chatsworth | 2"H x 10"W x 1/4"D Copper |
| Cable Runway Bonding Strap Kit | Chatsworth | #6 AWG Bonding Strap Kit, Each |
| Rack Bonding Jumper Kit | Chatsworth | 9' Long #6 AWG Stranded Copper Insulated Jumper |
| Compression Lugs | Chatsworth | Two Hole #6 Cable |
| Two Mounting Hole Bonding Terminal Block | Chatsworth | Two Mounting Hole Terminal, Black Wire Size #14-2/0 |
| Ground Wire | Chatsworth | Green Ground Wire with Yellow Stripe 100' |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|--------------------------------------|---------------------------------|---|
| 270528 PATHWAYS & JUNCTION BOXES | | |
| Adjustable Cable Support Systems | Nvent Caddy | CAT HP J Hook, Pregalvanized, 1" DIA |
| Cable Suppport J Hook Trees | Nvent Caddy | Ceiling Mount DoubleSided |
| Caddy CAT CM Double J Hook | Nvent Caddy | Electrogalvanized Double J Hook |
| Fire Stopping Allowed Manufacturer 1 | Specified Technologies (STI) | Self Sealing EZ Path Kit |
| 2" Firewall penetration | Specified Technologies (STI) | |
| 4" Firewall penetration | Specified Technologies (STI) | |
| Firestopping Grommet | Specified Technologies (STI) | Two Piece Split Grommet/ Multiple Cables up to .53" |
| Fire Stopping Retro Fit | Specified Technologies (STI) | Retrofit Device 2" Sleeve, One Pair |
| Fire Stopping Allowed Manufacturer 2 | 3M | |
| Fire Stopping Product 1 | 3M | Fire Barrier Sealant |
| Fire Stopping Allowed Manufacturer 3 | Hilti | |
| Fires Stopping Product 2 | Hilti | Intumescent Sealant |
| 270529 HANGERS AND SUPPORTS | | |
| Hangers Supports Approved 1 | Erico Caddy | Erico Caddy |
| Hangers Supports Approved 2 | Panduit | Panduit J-Hook 10Pk. |
| Hangers Supports Approved 3 | Cooper B-Line | Cooper B-Line J Hook: 2 inch |
| 270533 CONDUITS AND BACKBOXES | | |
| AV Backbox: Part Number | RANDL Industries | |
| AV Backbox with extension ring | RANDL Industries | |
| Retrofit Only: AV Backbox | Pass and Seymour | |
| Conduit Support Manufacturer 1 | Erico | 2-Hole Strap |
| Conduit Support Manufacturer 2 | Raco | Backbox |
| Conduit Support Manufacturer 3 | Kindorf | Support |
| Conduit Support Manufacturer 4 | Unistrut | Support |
| Approved Hand Holes and Vaults | Oldcastle | Utility Vault |
| 270536 CABLE TRAYS | | |
| Cable Tray: Manufacturer 1 | Cablofil | Wiremesh |
| Cable Tray: Manufacturer 2 | Snaketray | Wiremesh |
| Cable Tray: Manufacturer 3 | Flex-Tray | Wiremesh |
| Cable Tray: Manufacturer 4 | Chatsworth | Ladder Rack |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|---|----------------|---|
| 270539 SURFACE RACEWAYS | | |
| SMR: Manufacturer 1 | Wiremold | Wiremold |
| SMR: Manufacturer 2 | EMT Conduit | Painted to match wall color |
| SMR: Manufacturer 3 | N/A | Approved Equal |
| SMR: Part Number 1 | Wiremold | 500 Series (non-data cable) |
| SMR: Part Number 2 | Wiremold | 700 Series (non-data cable) |
| SMR: Part Number 3 | Wiremold | 2400 Series |
| SMR: Part Number 4 | Wiremold | 3000 Series |
| SMR: Part Number 5 | Wiremold | 4000 Series |
| SMR: Part Number 6 | EMT Conduit | Painted conduit to match wall color |
| 271100 COMMUNICATIONS EQUIPMENT | | |
| 4 x 8 AC Rated Plywood Backboard 3/4 inch thick | | |
| Fire Retardent Paint | Benjamin Moore | Super Spec Hp 220 Latex Flat Fire Retardant Paint |
| 1880ENA1-NSC-25, equip with (25) CB1E | CIRCA | Equip with (25) CB1E protector modules |
| protector modules | | |
| 271116 COMMUNICATIONS RACKS AND CAR | BINETS | |
| Approved Metals: Product 1 | Chatsworth | Chatsworth |
| Square or Round Rack Holes | Chatsworth | #12-24 Threaded Equipment Mounting Holes |
| Standard Rack 2 Post: Part Number | Chatsworth | Standard Rack |
| Standard Rack 2 Post: Size | Chatsworth | 7' x 19" with 3" mounting rails |
| Adjustable 4 Post Rack: Part Number | Chatsworth | Adjustable QuadraRack |
| Adjustable 4 Post Rack: Size | Chatsworth | 7' x 19" x (29" - 36" adjustable) Deep |
| 4 Post Rack Mount Kit | Chatsworth | For Concrete Floors |
| Cable Runway Mounting Bracket: Part Number | Chatsworth | QuadraRack Cable Runway Mounting Bracket |
| Equipment Support Rails: Part Number | Chatsworth | Adjustable QuadraRack Support Rails |
| Telecommunications Cabinet: Large | Chatsworth | Cube-It Wall Mount Cabinet |
| Cabinet Size: Large | Chatsworth | 48"h x 24"w x 30"d |
| Telecommunications Cabinet: Medium | Chatsworth | Cube-It Wall Mount Cabinet |
| Cabinet Size: Medium | Chatsworth | 36"h x 24"w x 30"d |
| Telecommunications Cabinet: Small | Chatsworth | Cube-It Wall Mount Cabinet |
| Cabinet Size: Small | Chatsworth | 24"h x 24"w x 30"d |
| Locking Drawer: Part Number | Chatsworth | Lockable Storage Drawer |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|--|--------------------|--|
| 271119 TERMINATION BLOCKS AND PATCH | | |
| Cat6 Patch Panel: Part Number 1 | CommScope | Cat6 Panel Cat6 insert black (24 pack) 760237638 |
| Cat6 Patch Panel: Part Number 2 | Leviton | Cat6 Panel Cat6 Insert |
| Cat6 Patch Panel: Part Number 3 | Panduit | Cat6 Panel |
| Cat6A Patch Panel: Part Number 1 | CommScope | Cat6A Panel Cat6A Insert SLX Series 2153449 |
| Cat6A Patch Panel: Part Number 2 | Leviton | Cat6A Panel, 6A Insert |
| Cat6A Patch Panel: Part Number 3 | Panduit | Cat6A Panel, Cat6A Insert |
| MDF Fiber Panel/FDU: Part Number | CommScope | 2U Fiber Patch/ Splice Panel |
| MDF Fiber Panel/FDU: Part Number 2 | Leviton | 2U Fiber Patch/ Splice Panel |
| MDF Fiber Panel/FDU: Part Number 3 | Panduit | 2U Fiber Patch/ Splice Panel |
| IDF Fiber Panel/FDU: Part Number 1 | CommScope | 1U Fiber Patch/ Splice Panel |
| IDF Fiber Panel/FDU: Part Number 2 | Leviton | 1U Fiber Patch/ Splice Panel |
| IDF Fiber Panel/FDU: Part Number 3 | Panduit | 1U Fiber Patch/ Splice Panel |
| Fiber Splice Cartridge: Part Number 1 | CommScope | TAReraSPEED Splicing cassette, 12LC, 900μm |
| Fiber Splice Cartridge: Part Number 2 | Leviton | 12-Fiber LC Splice Module |
| Fiber Splice Cartridge: Part Number 3 | Panduit | OS2 LC Splice Cassette |
| 271123 CABLE MANAGEMENT AND LADDER | | |
| Cable Mgmt/Ladder Rack: Manufacturer 1 | CommScope | 12" Ladder Rack |
| Cable Mgmt/Ladder Rack: Manufacturer 2 | Panduit | 12" Ladder Rack |
| Rack to Runway: Manufacturer 1 Part Number | Chatsworth | Rack to Runway Plate |
| Horizontal Wire Mgmt: Part 1 | Chatsworth | 1U Horizontal Wire Management |
| Horizontal Wire Mgmt: Part 2 | Panduit | 1U Horizontal Wire Management |
| Horizontal Wire Mgmt: Part 3 | Leviton | 1U Horizontal Wire Management |
| Vertical Wire Mgmt: Part 1 | Chatsworth | Wide Double-Sided Vertical Cable Manager |
| Vertical Wire Mgmt: Part 2 | Panduit | Wide Double-Sided Vertical Cable Manager |
| Ladder Rack: Part Number | Chatsworth | |
| End Caps: Part Number | Chatsworth | |
| Runway Radius Drop: Part Number | Chatsworth | |
| Butt splices: Part Number | Chatsworth | |
| 90 Deg Junction: Part Number | Chatsworth | |
| Wall Angle Support Kit: Part Number | Chatsworth | |
| Triangle Wall Support | Chatsworth | Triangular Support, Black |
| Grounding Straps: Part Number | Chatsworth | |
| Grounding Straps (25): Part Number | Chatsworth | |
| Network Rack Electrical Outlet 20 AMP NEMA | Eaton | Rack Mount 20 AMP |
| 5-15 | | |
| 271126 RACK MOUNTED POWER PROTECTION | N AND POWER STRIPS | |
| Approved PDU Manufacturer | Chatsworth | |
| PDU: Part Number | Chatsworth | |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|---|------------|---|
| 271313 COPPER BACKBONE CABLING | | |
| Number of Backbone Cables | | 2 Cat6 White |
| Category | | Cat6 |
| Inside Cable color | | White |
| Termination Block | Leviton | 66 Block/ with Orange Cover |
| Outside Rated Color | | Black |
| 271323 FIBER OPTIC BACKBONE CABLING | | |
| Fiber Part manufacturer 1 | Commscope | Armored Single-mode (OS2) Indoor/ Outdoor |
| | | Plenum |
| Fiber Part manufacturer 2 | Berktek | Armored Single-mode (OS2) Indoor/ Outdoor Plenum |
| Fiber Part manufacturer 3 | Prysmian | Armored Single-mode (OS2) Indoor/ Outdoor |
| | | Plenum |
| Fiber Strand Count | | 12 |
| Fiber Color | | Yellow |
| Fiber Color (outdoor) | | Black |
| Fiber Coupler | | Yellow |
| Fiber roll type | | Type-C |
| Fiber Rating for Connector and Cassette | | OS2 |
| Connector Type | | Duplex LC |
| 274100 Audio/Video Systems | | |
| HDBaseT for classrooms | Liberty AV | |
| | | |
| 271513 COPPER HORIZONTAL CABLING | | |
| Cat6 Cable: Part Number 1 | CommScope | Cat6 Plenum Blue |
| Cat6 Cable: Part Number 2 | Leviton | Cat6 Plenum Blue |
| Cat6 Cable: Part Number 3 | Panduit | Cat6 Plenum Blue |
| Cat6A Cable: Part Number 1 | CommScope | Yellow |
| Cat6A Cable: Part Number 2 | Leviton | Yellow |
| Cat6A Cable: Part Number 3 | Panduit | Yellow |
| Building Control cable type | | Cat6 |
| Building Control cable color | | White |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|---|-----------|-----------------------------------|
| 271543 FACEPLATES AND CONNECTORS | | |
| Wallphone Outlet Config Classroom | | 2 port plate, one jack |
| Work Area Outlet Config Office | | 2 port plate, two jack |
| Teaching Wall Projector | | 2 port plate, two jack |
| WAP Config (hardlid ceiling) | | 2 port biscuit |
| WAP Config (wall) | | 2 port plate, two jacks |
| Camera Location Config | | Single port biscuit |
| Building Controls Config | | single port plate and single jack |
| WAO Jack category | | Cat6 |
| WAO number of jacks/plate | | 2 |
| WAO color at faceplate | | match plate |
| WAO color at patch panel | | Cat6 Black or Cat6A Yellow |
| Wall phone outlet config | | 1 Port |
| Wall phone number of jacks/plate | | 1 |
| Wall phone color at faceplate | | White |
| Wall phone color at patch panel | | Black |
| WAP Jack category | | 6A |
| WAP number of jacks/plate | | 2 |
| WAP color at faceplate | | Yellow |
| WAP color at patch panel | | Yellow |
| Faceplate for analog "red" phone | Leviton | |
| Faceplate type 1 | Commscope | |
| Faceplate type 2 | Leviton | |
| Faceplate type 3 | Panduit | |
| 271619 PATCH CORDS | | |
| Fiber patch cord | | |
| Fiber sheath | | |
| Fiber boot | | |
| Projector patch cord | | |
| WAP patch cord | | |
| Camera patch cord | | |
| Paging patch cord | | |
| Readerboard patch cord | | |
| Building Controls patch cord | | |
| 272133 WIRELESS ACCESS POINTS | | |
| Access Points | | |
| Mounting Brackets | | |
| Enclosures | | |
| | | |
| 272319 VIDEO SURVEILLANCE | | |
| 272319 VIDEO SURVEILLANCE Camera cable category | | Cat6A |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|---|---------------|------------------------------------|
| 274100 AUDIO-VIDEO SYSTEMS | | |
| Voice Amplification System Manufacturer | Lightspeed | N/A |
| Voice Amplification Amplifier | Lightspeed | |
| Voice Amplification Speaker | Lightspeed | N/A |
| Speaker to Amplifier wire type | General | 18/2 CMP |
| Page First Intercom shunt | Lightspeed | N/A |
| Page First to Intercom wire type | General | 22/2 Conductor |
| 274123 AUDIO-VIDEO ACCESSORIES | | |
| HDMI Cable | | 4K rated HDMI cable |
| HDBaseT system | Liberty | |
| PoE Wireless Display Adapters | Airtame | Owner Furnished |
| 100" diagonal whiteboard | Epson | (16:10) dry erase whiteboard |
| 275113 DISTRIBUTED PAGING SYSTEMS | | |
| Lay-in Ceiling IP Speaker | Valcom | |
| Flush Wall Mount IP Speaker | Valcom | |
| Exterior Paging Horn | Valcom | |
| Lay-in Ceiling Analog Speaker | Valcom | |
| Wall Mount IP Speaker | Valcom | |
| Corner Speaker | Valcom | one-way amplified speaker |
| IP Display Speaker | Valcom | |
| Analog P-Tec Ceiling Speaker | Valcom | |
| Zone Controller | Valcom | |
| Power Supply | Valcom | |
| Software | Informacast | District Furnished and installed |
| Wire guard | | compatible with speaker selection. |
| 275123 INTERCOMMUNICATIONS AND PROG | | |
| Gym Call Box | Valcom | |
| 275129.17 TWO-WAY RADIO COMMUNICATIO | ON | |
| Handheld radio | Kenwood | |
| Repeater | Kenwood | |
| Antenna | Telewave | |
| Battery Backup | SAMLEX | |
| Cabinet Enclosure | DDB Unlimited | |
| Coax Cable | | |
| 275313 DISTRIBUTED CLOCK SYSTEMS | | |
| Master Clock Controller | American Time | System Controller |
| 12" Clock | American Time | Battery powered 12" clock |
| Bell Wireless | American Time | Wireless bell assembly |
| Bell Wired | American Time | 120V weatherproof bell |

PPS Division 27: Communications Standards

| Specifications Section / Item | Vendor | Details |
|------------------------------------|---|--|
| 275319 DISTRIBUTED ANTENNA SYSTEMS | | |
| Antenna (Indoor directional) | Honeywell | Omni indoor antenna |
| Coaxial cable | RFS | 1/2in Low Loss Flexible Cable |
| Antenna (Donor) | Comba -OR- Cellular Specialties, Inc | Outdoor High Isolation Narrow Beam Antenna |
| Bi-Directional Amplifier (BDA) | Comba -OR- Honeywell | Public Safety Bi-Directional Amplifier |
| Battery backup | Comba -OR- Honeywell | Battery Backup Unit |