



BOISE ELIOT ACCESSIBILITY SUMMARY



Boise Eliot School
620 N. Fremont Street
Portland, OR 97227

SUMMARY

Most common areas at Boise Eliot are located on the ground level. Priority should be given to providing an elevator to access basement daycare and second floor media center and classrooms at this school. The elevator, door hardware and plumbing on floors other than the main level comprise the majority of the upgrade work. The major accessibility upgrades for Boise Eliot are summarized on this sheet.

ACCESSIBILITY UPGRADES TO MEET 2008 ADA GUIDELINES

Accessible Route & Reach Ranges	Elevator for basement and second floor access Accessible handrails at 3 interior ramps Classroom lever handle hardware
Plumbing Elements	Accessible restrooms at second floor Dual height drinking fountains at second floor
Communication Elements	Assisted listening devices at media center and gym/cafetorium Interior directional signage
Recreational Facilities	Accessible benches at locker rooms Accessible play surface & structure

COST BREAKDOWN

Cost information provided is based on 2009 estimated unit costs for direct construction including general contractor overhead. Additionally, estimated hard costs and soft costs provided by PPS have been included.

Site Elements	\$0
Accessible Route & Reach Ranges	\$433,212
Plumbing Elements	\$44,749
Communication Elements	\$12,641
Special Spaces	\$0
Built-In Elements	\$4,100
Recreational Facilities	\$54,758
Special Education	\$0
Total	\$549,459