

## CLEVELAND ACCESSIBILITY SUMMARY



Cleveland High School 3400 SE 26th Avenue Portland, OR 97202

## **SUMMARY**

Cleveland has an accessible route to most program spaces, and all floors of the main building. Priority should be given to providing access to recreational support facilities. Also, modifications to individual elements such as science room sinks and lever handles, should be made based on student needs. The major accessibility upgrades for Cleveland are summarized on this sheet.

This accessible signage at Cleveland is a good example to illustrate compliant directional signage.



Directional and Entry Signage

## ACCESSIBILITY UPGRADES TO MEET 2008 ADA GUIDELINES

Site Elements Parking spaces to meet required dimensions

Ramps to access two portables

Accessible handrails

Accessible Route Replacement handrails in one main stair

& Reach Ranges Lever hardware on doors

Plumbing Locker rooms with accessible showers and restrooms

Elements Accessible drinking fountains

Accessible staff restrooms on basement and 2nd floors Accessible sinks and gases at science classrooms Accessible sinks at home economics classrooms

Communication Assisted listening devices at performance spaces using

Elements audio amplification

Interior signage at upgraded accessible spaces

Special Spaces Additional wheelchair and companion seating at

Auditorium Signage

Accessible work counters in home economics classrooms

Accessible benches at locker rooms and play fields

Recreational Facilities

Accessible clearances at exercise equipment

## **COST BREAKDOWN**

Cost information provided is based on 2009 estimated unit costs for direct construction including general contractor overhead. Additionally, estimated hard costs and soft costs provided by PPS have been included.

Site Elements	\$175,796
Accessible Route & Reach Ranges	\$243,076
Plumbing Elements	\$74,226
Communication Elements	\$37,825
Special Spaces	\$2,005
Built-In Elements	\$4,100
Recreational Facilities	\$4,555
Special Education	\$4,680
Total	\$546,264