



KELLOGG

ACCESSIBILITY SUMMARY



Kellogg Middle School
3330 SE 69th Avenue
Portland, OR 97206

SUMMARY

Most common areas at Kellogg are located on the ground floor. Priority should be given to providing an elevator for multi-floor access at this school. The elevator, lift, stairs, door hardware and plumbing on floors other than the main level comprise the majority of the upgrade work. The major accessibility upgrades for Kellogg are summarized on this sheet.

ACCESSIBILITY UPGRADES TO MEET 2008 ADA GUIDELINES

Site Elements	Restripe accessible stalls and aisles Accessible Handrails at east entry
Accessible Route & Reach Ranges	Elevator to access the second and third floors Accessible stair to north building Accessible handrails at one full height staircase Lift for access from first floor to cafeteria Accessible handrails at southwest stair Classroom lever door hardware
Plumbing Elements	Accessible drinking fountains Accessible boys and girls restrooms at second and third floors, and annex Accessible showers at boys and girls locker rooms Accessible height sinks at office, science, home economics and faculty
Communication Elements	2-way audio/visual communications device at north wing main entry Accessible signage at stage lift Accessible signage at building interior Assisted listening devices at gymnasium
Special Spaces	Home economics work counter
Built-In Elements	Accessible height counters at office and library Cafeteria serving counter height
Recreational Facilities	Accessible benches

COST BREAKDOWN

Cost information provided is based on 2009 estimated unit costs for direct construction including general contractor overhead. Additionally, estimated hard costs and soft costs provided by PPS have been included.

Site Elements	\$6,933
Accessible Route & Reach Ranges	\$853,994
Plumbing Elements	\$117,992
Communication Elements	\$21,865
Special Spaces	\$2,005
Built-In Elements	\$22,476
Recreational Facilities	\$0
Special Education	\$0
Total	\$1,025,265