



MT. TABOR ACCESSIBILITY SUMMARY



Mt. Tabor Middle School
5800 SE Ash Street
Portland, OR 97215

SUMMARY

All common areas at Mt. Tabor are located on the ground floor. Priority should be given to providing a striped pedestrian route to the building, door hardware and stage access. The lift, door hardware and striped pedestrian route comprise the majority of the upgrade work. The major accessibility upgrades for Mt. Tabor are summarized on this sheet.

ACCESSIBILITY UPGRADES TO MEET 2008 ADA GUIDELINES

Site Elements	Striped crosswalk to paved entry
Accessible Route & Reach Ranges	Lift for stage access Classroom lever door hardware
Plumbing Elements	Accessible locker rooms Accessible sinks
Communication Elements	Additional two-way visual communications device Assisted listening devices at cafeteria and multi-purpose Signage
Special Spaces	Home Economics work counter
Built-In Elements	Accessible benches at boys and girls locker rooms

COST BREAKDOWN

Cost information provided is based on 2009 estimated unit costs for direct construction including general contractor overhead. Additionally, estimated hard costs and soft costs provided by PPS have been included.

Site Elements	\$25,054
Accessible Route & Reach Ranges	\$103,837
Plumbing Elements	\$42,148
Communication Elements	\$9,340
Special Spaces	\$2,005
Built-In Elements	\$4,100
Recreational Facilities	\$0
Special Education	\$2,340
Total	\$188,822